| Seat |  |
|------|--|
| No.  |  |

## M.C.A. – I (Semester – I) Examination, 2015 (New CBCS) COMPUTER SCIENCE Introduction to Computers

| Max                                   | . Marks : 70   |
|---------------------------------------|--|
| uestion from Q. No. <b>3</b> to Q. No | o. <b>7</b> .  |
|                                       | 10   |
| <b>).</b>                             |  |
| B) Output                             |  |
| D) None of these                      |  |
| ng system ?                           |  |
| B) Windows                            |  |
| D) Java                               |  |
| n of CPU.                             |  |
| B) BU                                 |  |
| D) Memory                             |  |
| ode?                                  |  |
| B) Duplex-T                           |  |
| D) Full duplex                        |  |
|                                       |  |
| B) Copy                               |  |
| D) Mount                              |  |
|                                       | are compulsory. Juestion from Q. No. 3 to Q. No. ated full marks.  B) Output D) None of these Jing system? B) Windows D) Java In of CPU. B) BU D) Memory Jode? B) Duplex-T D) Full duplex  B) Copy |

6

2. A) Write a short note on following:

i) What are output devices? Explain.

ii) What are the features of mainframe computer?

ii) Computer network.

B) Answer the following:

i) Compiler

|    | -3-  | SLR-G-1 |
|----|--|---------|
| 3. | Answer the following:  A) Define operating system. Explain its needs.  B) Explain Data Transmission Modes.   | 7       |
| 4. | Answer the following:  A) What is software? Explain different types of software with example.  B) What is debugger? Explain how does it help in programming. | 7       |
| 5. | Answer the following:  A) What is an OMR device? Explain its technique for recognition.  B) What is structured programming? What are its advantages.         | 7       |
| 6. | Answer the following:  A) What is a browser? How it facilitates navigation support?  B) Describe the architecture of computer system with a diagram.         | 6<br>8  |
| 7. | Answer the following:  A) Describe the features of MS-Word.  B) Explain the procedure of data sorting in Excel sheet with examples.                          | 14      |

**SLR-G – 2** 



| Seat |  |
|------|--|
| No.  |  |

## M.C.A. I (Sem. – I) Examination, 2015 (New CBCS) COMPUTER SCIENCE Programming Using C

Day and Date: Wednesday, 18-11-2015 Max. Marks: 70

Time: 10.30 a.m. to 1.00 p.m.

Instructions: 1) Q. No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Choose correct alternatives:

10

```
1) Predict the output for the following code void main ()
{
    int const p = 5;
    + + p;
    printf ("%d",++(p));
}
a) 6
b) 7
c) 8
d) None of these
```

2) Predict the output for the following code

a) maa

b) man

c) mmm

d) aam



```
3) Predict the output for the following code
   void main ()
            float me = 1.1;
   {
            double you = 1.1;
            if (me = = you)
                  printf("I love U");
            else
                  printf("| hate U");
   }
   a) I love U
                                  b) I hate U
   c) Compiler error
                                  d) None of these
4) Predict the output for the following code
   # define int char
   void main ()
     int i = 65;
     printf("sizeof (i) = %d", sizeof (i));
   a) Size of (i) = 1
                                  b) Size of (i) = 2
   c) Size of (i) = 4
                                  d) None of these
5) Which of the following is not the relational operator?
   a) & &
                                  b) <
   c)! =
                                  d) >
6) Which of the following is the entry controlled loop statements?
   a) While loop
                                  b) Do-while loop
   c) For loop
                                  d) Both a) and c)
7) Consider the following declarations-
   struct policy
     int policy _ no;
     char policy _ name [30];
     int policy _ term;
     int policy _ amt;
   };
   struct policy customer [10];
   Here size of array 'customer' is
   a) 10 bytes
                                  b) 40 bytes
   c) 360 bytes
                                  d) 330 Bytes
```



8) What is the output of the following program?

- 9) The entry point of the 'C' program is with
  - a) # include

b) Void main (int argc, char \* argv)

c) # define

- d) MAIN()
- 10) Which of the following statements is correct?
  - a) When a pointer is incremented by 1 the address contained in the pointer is incremented by 1
  - b) When a pointer is incremented by 1 the address contained in the pointer is incremented by size of integer
  - c) When a pointer is incremented by 1 the address contained in the pointer is incremented according to the type it is pointing to
  - d) All are incorrect
- B) State whether true/false.

4

- 1) 'C' is a low level language.
- 2) Fopen () function requires maximum two arguments.
- 3) The statement char ch = 'Z'; would store in ch the ASCII value of 'Z'.
- 4) The expression x = 5 + 2 % 8; evaluates to 5.
- 2. A) Write short notes on the following:

8

- i) Algorithm
- ii) Hierarchy of operators.
- B) Answer the following.

- i) Write an algorithm to swap two integer values without using temporary variable.
- ii) Distinguish between structure and union.

| 3. | An | swer the following:   |   |
|----|----|---|---|
|    | a) | Write the general syntax and working of Switch statement in C with an example.  | 6 |
|    | b) | Write a program to read a list of n random numbers and count the number of positive, zero, negative numbers in the list and also print the sum of all positive numbers.                 | 8 |
| 4. | An | swer the following:   |   |
|    | a) | Write a program which will read a string and rewrite it in the alphabetical order. For example the word STRING should be written as GINRST.   | 8 |
|    | b) | Explain the difference between call by reference and call by value.   | 6 |
| 5. | An | swer the following:   |   |
|    | a) | Explain in detail various functions for basic file manipulations.   | 8 |
|    | b) | Write a program to obtain transpose of a $4\times4$ matrix. The transpose of a matrix is obtained by exchanging the elements of each row with the elements of the corresponding column. | 6 |
| 6. | An | swer the following:   |   |
|    | a) | Explain the various loop structures in detail.  | 7 |
|    | b) | What is preprocessor directives? Describe any two preprocessor directives with example.   | 7 |
| 7. | An | swer the following :  |   |
|    | a) | Define a structure called student with name, register number and age as data members. Write a program to create an array of structures for 5 students. Read data into it and print.     | 8 |
|    | b) | Describe the following functions.  i) fopen ()  ii) fclose ()  iii) fseek ().   | 6 |



**SLR-G – 3** 

| Seat |  |
|------|--|
| No.  |  |

### M.C.A. (Part – I) (Semester – I) Examination, 2015 (New CBCS) COMPUTER SCIENCE **Discrete Mathematical Structures**

| Day and Date: Friday, 20-11-2015 | Max. Marks: 70 |
|----------------------------------|----------------|
|----------------------------------|----------------|

Time: 10.30 a.m. to 1.00 p.m.

**Instructions**: i) Q. No. 1 and 2 are compulsory.

ii) Attempt any three questions from Q. No. 3 to Q. No. 7.

iii) Figures to the right indicate full marks.

| 1. A) Select most correct altern | ative |
|----------------------------------|-------|
|----------------------------------|-------|

i) Let L be a lattice, then  $\forall$  a and b in L, a  $\land$  b = a if and only if

a)  $a \le b$ 

b) a > b

c) a > b

d) a < b

ii) In propositional logic which of the following is equivalent to  $(p \rightarrow q)$ 

a)  $\sim p \vee q$ 

b)  $(\sim p \lor q)$  c)  $(q \lor \sim p)$  d)  $(p \land \sim q)$ 

iii) In permutation  $n_{n-1}p_{n-1} = ?$ 

a) <sup>n</sup>P<sub>n</sub>

b)  $^{n-1}P_{n-1}$  c)  $^{n-1}P_n$  d)  $^{n}P_{n-1}$ 

iv) A graph in which each vertex is adjacent to every other vertex is called

a) Planar graph

b) Regular graph

c) Multigraph

d) Complete graph

v) A graph in which multiple edges and loops exists is called

a) Multigraph

b) Pseudograph

c) Regular graph

d) Complete graph

vi) In set theory A  $\oplus$  B = ?

a)  $(A - B) \cap (B - A)$ 

b)  $(B-A) \cap (A-B)$ 

c)  $(A - B) \cup (B - A)$ 

d)  $(A - B) \cup (A - B)$ 

vii) If A, B, C are Boolean matrices of compatible, sizes, then  $(A \lor B) \lor C = ?$ 

a) A  $\vee$  B  $\vee$  C

b)  $A \vee (B \vee C)$ 

c) (A  $\vee$  B)  $\vee$  C

d) None of these

P.T.O.

| C |   | P | _ | C | _ | 3 |
|---|---|---|---|---|---|---|
| 3 | ᆫ | Ħ | - | u | _ | J |



|    | viii)   | A relation R on a set A is called equ  | uivalence if                     |                              |        |
|----|---------|--|----------------------------------|------------------------------|--------|
|    |         | a) Reflexive b) Symmetric  | c) Transitive                    | d) All of the above          |        |
|    | ix)     | The proposition $(p \land q) \rightarrow p$ is a a) Contradiction c) Logical equivalent of $p \lor q$  | b) Tautology<br>d) None of these |                              |        |
|    | x)      | In a group G which of the law is cal   |                                  |                              |        |
|    |         | a) $a * b = b * a$<br>c) $a * a^{-1} = a^{-1} * a = e$   | b) a * e = e * a                 |                              |        |
|    |         | ,  | d) None of these                 |                              |        |
|    | •       | I in the blanks :  |                                  |                              | 4      |
|    |         | In a set theory A $\cup \phi =$  |                                  |                              |        |
|    |         | If p = true, q = false, then p $\rightarrow$ q = $\frac{1}{2}$   |                                  |                              |        |
|    | •       | Maximum degree of any node in a s  | imple graph with n               | vertices is                  |        |
| 2. | i)      | rite short notes on :<br>Matrix and determinant<br>Tautology.  |                                  |                              | 8      |
|    | B) An   | nswer the following :  Explain the notations used in mathe  Explain the normal forms.  | ematical logic.                  |                              | 6      |
| 3. | A) Sh   | now that ${}^{n+1}C_r = {}^{n}C_{r-1} + {}^{n}C_r$ .   |                                  |                              | 7      |
|    | B) If p | ho  ightarrow q is false, can you determine the plain also.  | e truth value of (~              | $(p \land q) \rightarrow q?$ | 7      |
| 4. | A) Ex   | plain group codes with example.  |                                  |                              | 7      |
|    | B) Ex   | xplain Hamiltonian and Euclarian grap  | ohs.                             |                              | 7      |
| 5. | A) Le   | et L = $\{a_1, a_2,, a_n\}$ be a finite lattice, t   | hen prove that L is              | s bounded.                   | 7      |
|    |         | xplain Bipartite graph with an exampl  |                                  |                              | 7      |
| 6. | (p      | ove that the following equivalence : $\rightarrow$ q) $\land$ (R $\rightarrow$ q) $\Leftrightarrow$ (p $\lor$ R) $\rightarrow$ q. splain the applications of the Residue | e Arithmatic's to co             | mputers.                     | 7<br>7 |
| 7  | ŕ       |  |                                  | ,                            | 7      |
| 1. | •       | ate and prove Fleury's algorithm.<br>plain the algebraic structures and th   | eir applications to              | computer science.            | 7      |

Max. Marks: 70

Seat No.

## M.C.A. - I (Semester - I) (CBCS) (New) Examination, 2015 **COMPUTER SCIENCE Digital Circuits and Microprocessors**

Day and Date: Monday, 23-11-2015

Time: 10.30 a.m. to 1.00 p.m.

N.B.: 1) Question No. 1 and 2 are compulsory.

2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.

3) Figures to the **right** indicate **full** marks.

1. A) Choose correct alternatives.

10

- i) OR is a
  - a) Basic logic gate

b) Universal logic gate

c) Multivibrator

- d) None
- indicates
  - a) AND logic gate

b) OR logic gate

c) NOT logic gate

d) None

- iii) NOR is a
  - a) Basic logic gate


b) Universal logic gate

c) Not a logic gate

d) None of the above



- a) Y = A + B
- b) Y = A .B c) Y = (A) (B) d) None




a)  $Y = \overline{A}B$ 

b)  $Y = A\overline{B}$ 

c)  $Y = A + \overline{B}$ 

d) both (a) and (c)






a)  $y(\overline{A} + B) + \overline{B}$ 

b)  $y = \overline{A} + 1$ 

c) y = 1

d) all the above



a)  $v = \overline{AB}$ 

b) y = A + B

c) both a) and b)

- d) none
- viii) Which of the following statements with respect to  $\mu$  P 8085 is in correct ?
  - a) The address bus is unidirectional
  - b) The data bus is bi-directional
  - c) The control lines provide a pulse to indicate an MPU operation
  - d) None of these
  - ix) Indicate the wrong statement
    - a) The 8085 has six general purpose registers
    - b) Registers are programmable
    - c) Accumulator is not part of ALU
    - d) Flags help in knowing the data conditions
  - x) Which of the following describes a program counter?
    - a) It is a memory pointer
    - b) It is a 16 bit register
    - c) It is a 8 bit register
    - d) It deals with sequencing the execution of instructions
- B) State true or false.

- i) The 8086 has an accumulator to store 64 bit data
- ii) The 8085 has five flags to indicate five different types of data conditions
- iii) 8085 has a 8 bit register to work as program counter
- iv) 8085 has a 16 bit register to work as stack pointer

| 2. | A) Write short notes on the following.  i) Function of program counter (PC).  ii) Instruction fetch operation.  | 8           |
|----|---|-------------|
|    | <ul><li>B) Answer the following.</li><li>i) Explain functions of EU in 8086.</li><li>ii) Explain types of memory.</li></ul>   | 6           |
| 3. | Answer the following.  A) Explain working of a full adder circuit.  B) Compare half adder and full adder circuit.   | 8           |
| 4. | <ul><li>A) Describe a multiplexer with a schematic diagram.</li><li>B) Explain an 8 : 1 multiplier in detail.</li></ul>   | 6<br>8      |
| 5. | <ul><li>A) Define a Register. Mention the types of Register.</li><li>B) Explain with schematic diagram working of synchronous counter.</li></ul>                              | 6<br>8      |
| 6. | <ul><li>A) Write a note on instruction set of 8085.</li><li>B) Write a note on addressing modes of 8085.</li></ul>  | 7<br>7      |
| 7. | <ul><li>A) Write a note on memory segmentation in case of 8086.</li><li>B) i) Mention the flags used in 8086.</li><li>ii) Explain various addressing modes of 8086.</li></ul> | 6<br>2<br>6 |

**SLR-G - 5** 



| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – I (Semester – I) Examination, 2015 COMPUTER SCIENCE (New) (CBCS) Management

| Day and Date : Thursday, 26-11-2015<br>Time : 10.30 a.m. to 1.00 p.m.                   | Max. Marks : 70                         |
|---|---|
| N. B.: 1) Question No. 1 and 2 a. 2) Attempt any 3 question 3) Figures to the right ind | ns from Que. No. 3 to Que. No. 7.       |
| 1. A) Choose the correct alternative :  | 10                                      |
| <ol> <li>Goods returned to the supplier should</li> </ol>                               | d be accompanied by                     |
| a) Bill   | b) Cash memo                            |
| c) Debit note   | d) Credit note                          |
| 2) Receipt is issued for  |   |
| a) Cash sale  | b) Goods delivered                      |
| c) Cash received  | d) Cash paid                            |
| <ol><li>Which document is prepared when the</li></ol>                                   | goods are sold on credit                |
| a) Invoice  | b) Cash memo                            |
| c) Cash voucher   | d) Petty cash voucher                   |
| <ol> <li>In which type of the cheque the amou<br/>account in the Bank.</li> </ol>       | unt is credited directly to the payee's |
| a) Bearer   | b) Order                                |
| c) Crossed  | d) Account payee                        |
| <ol><li>In SWOT analysis 'S' stands for</li></ol>                                       |   |
| a) Security   | b) Safety                               |
| c) Strength   | d) Surety                               |
| <ol><li>Training to the staff improves</li></ol>  | <u></u>                                 |
| a) Laziness   | b) Working skill                        |
| c) Working problems   | d) Tension                              |

|    | 7)     | The co   | ost unit for goods transport in                            | dustry is                 |           |   |
|----|--------|--|--|---------------------------|-----------|---|
|    |        | a) Kilo  | ometres/passenger  | b) Tonnes/kilometre       |           |   |
|    |        | c) We  | eight/passenger  | d) None of the above      |           |   |
|    | 8)     | 8) A quality circle is a volunteer group composed of |  |                           | _ usually |   |
|    |        | under  | the leadership of their super                              | visor.                    |           |   |
|    |        | a) Wo  |  | b) Helpers                |           |   |
|    |        | ,  | pervisors  | d) Managers               |           |   |
|    | 9)     | -  | uccess variable for banking in                             | •                         |           |   |
|    |        |  | mber of customers  |                           |           |   |
|    |        | -  | mber of insurance policies                                 | •                         |           |   |
|    | 10)    |  | discount will appear                                       | in the books of accounts. |           |   |
|    |        | a) Ba  |  | b) Trade                  |           |   |
|    |        | c) Ca  | sh   | d) Quantity               |           |   |
|    | B) Sta | te <b>true</b>                                       | or <b>false</b> :  |                           |           | 4 |
|    | 1)     | Book   | debts means amount payable                                 | e.                        |           |   |
|    | 2)     | Budge  | et is done by lower managem                                | ent.                      |           |   |
|    | 3)     | Goals  | are time less.   |                           |           |   |
|    | 4)     | ABC c  | or EOQ techniques are used t                               | for material management.  |           |   |
| 2. | A) Wr  | ite sho  | rt notes on the following :                                |                           |           | 8 |
|    | i)     | Cost   | entre  |                           |           |   |
|    | ii)    | Budge  | et manual.   |                           |           |   |
|    | B) An  | swer th  | e following :  |                           |           | 6 |
|    | •      |  | ourposes of selection.                                     |                           |           |   |
|    | 2)     | Explai   | n benefits of training.                                    |                           |           |   |
| 3. | Answe  | r the fo   | llowing:   |                           |           |   |
|    | Follow |  |  |                           |           |   |
|    | 2015 J | •  | ormation is available in respe<br>Purchased 100 units @ 10 |                           |           |   |
|    |        |  | Purchased 200 units @ 12                                   |                           |           |   |
|    |        | 5  | Issued 250 units   |                           |           |   |
|    |        | 7  | Purchased 200 units @ 14                                   | each                      |           |   |
|    |        | 10   | Purchased 300 units @ 16                                   | each                      |           |   |



|    | 15                     | ls   | sued 200 units   |   |
|----|------------------------|------|--|---|
|    | 20                     | ls   | sued 200 units   |   |
|    | 24                     | Pι   | urchased 100 units @ 18 each   |   |
|    | 29                     | ls   | sued 150 units   |   |
|    | A) Prepare st          | ore  | s ledger account by using LIFO method.   | 7 |
|    | B) Using the smethod.  | sam  | ne information prepare stores ledger by using simple average                                       | 7 |
| 4. | Following info         | orma | ation is available from the books of Mr. Kadam for the month of                                    |   |
|    | April 2015 1           | St   | arted business with cash Rs. 20,000 and machinery Rs. 40,000                                       |   |
|    | 4                      | Ca   | ash purchases Rs. 6,000 @ 10% trade discount   |   |
|    | 8                      | Ca   | ash sales Rs. 12,000   |   |
|    | 10                     | Pa   | aid wages Rs. 1,400  |   |
|    | 15                     | Pι   | urchased goods on credit from Shrikant traders Rs. 8,000   |   |
|    | 20                     | Pa   | aid to Sanjay traders on account Rs. 6,400   |   |
|    | 25                     | W    | ithdraw cash for personal use Rs. 1,000.   |   |
|    | A) Pass the jo         | ourr | nal entries in the books of Mr. Kadam.   | 7 |
|    | B) Prepare le          | dge  | er accounts for the above information.   | 7 |
| 5. | A) Enter the Mr. Ashok |      | owing transactions in the appropriate subsidiary books of d Co.                                    | 7 |
|    | 2015 Aug.              | 1    | Purchased goods from Raj Traders Rs. 16,400 @ 10% trade discount.                                  |   |
|    |                        | 3    | Priti enterprises invoiced goods to Ashok and Co. Rs. 17,250                                       |   |
|    |                        | 5    | Sold goods to Vanita stores Rs. 19,000 @ 5% trade discount.  |   |
|    |                        | 8    | Mahesh associates invoiced goods to Ashok and Co.  |   |
|    |                        |      | Rs. 17,000 @ 3% trade discount.  |   |
|    |                        | 10   | Returned goods to Raj Traders Rs. 1,650 (net)  |   |
|    |                        | 15   | Vanita traders returned goods to Ashok and Co. as they were damaged in transit Rs. 4,000. (Gross). |   |
|    |                        | 25   | Deepika returned goods of Rs. 4,000 (Gross).   |   |

7

7

7

B) From the following figures of M/S Patel and Co. ascertain the amount of net profit.

|                                   | Rs.    |  |
|-----------------------------------|--------|--|
| Dividend received                 | 1,400  |  |
| Gross profit                      | 55,000 |  |
| Postages                          | 2,200  |  |
| Commission received               | 1,000  |  |
| Salaries                          | 7,500  |  |
| Insurance                         | 1,200  |  |
| Printing and stationary           | 3,600  |  |
| Office rent                       | 7,200  |  |
| Depreciation                      | 2,200  |  |
| Prepare profit and loss A/c also. |        |  |

- 6. Answer the following:
  - A) Explain the steps in Budgetary control.
  - B) Factors determining the working capital. 7
- 7. Answer the following:
  - A) Explain the steps for formal control process.
  - B) Explain the different types of media available for advertisement.

SLR-G-6

| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – I (Semester – I) Examination, 2015 COMPUTER SCIENCE (Old CGPA) Introduction to Computers

| Max. Marks : 70  |
|--|
| are <b>compulsory.</b><br>estions from Q. No. <b>3</b> to Q. No. <b>7</b> .<br>dicate <b>full</b> marks. |
| 10   |
| ty among different hosts?  |
| B) SMTP  |
| D) SNMP  |
| applications software package?   |
| B) Adobe PageMaker   |
| D) Open office   |
|  |
| B) Processing device   |
| D) Input device  |
| tem is produced by IBM ?   |
| B) Windows   |
| D) Unix  |
| outer?   |
| B) FUNTRIA   |
| D) ENIAC   |
| sembly language to machine language is   |
| B) Interpreter   |
| D) Comparator  |
|  |

-2-



|    | 7) Which of the following memory is      | non-volatile?                     |   |
|----|--|-----------------------------------|---|
|    | A) SRAM                                  | B) ROM                            |   |
|    | C) DRAM                                  | D) All of these                   |   |
|    | 8) Which of the following is not a co    | mputer functional block?          |   |
|    | A) Analog to digital converter           | B) CPU                            |   |
|    | C) Memory                                | D) Input/output device            |   |
|    | 9) Internet Explorer comes along wit     | h                                 |   |
|    | A) Linux                                 | B) Windows                        |   |
|    | C) MAC                                   | D) Android                        |   |
|    | 10) Keyboard converts typed in chara     | acter to code.                    |   |
|    | A) EBCIDIC                               | B) ASCII                          |   |
|    | C) Decimal                               | D) Binary                         |   |
|    | B) State whether following statements a  | are <b>true</b> or <b>false</b> : | 4 |
|    | 1) Operating system is system soft       | ware.                             |   |
|    | 2) Unix is an multiuser and multitas     | king operating system.            |   |
|    | 3) Intranet is a public network and a    | nn extranet is a private network. |   |
|    | 4) PARAM is a super computer made        | de by India.                      |   |
| 2. | A) Write a short note on following:      |                                   | 8 |
|    | i) CPU                                   |                                   |   |
|    | ii) Loader.                              |                                   |   |
|    | B) Answer the following:                 |                                   | 6 |
|    | i) What is Printer? Explain differer     | nt types of printers in short.    |   |
|    | ii) What is workstation? Explain fea     | atures of workstation.            |   |
| 2  | Answer the following:                    |                                   |   |
| J. | Answer the following:                    |                                   | 7 |
|    | A) Explain the features of Super compute |                                   | 7 |
|    | B) What is Operating System? Explain     | Windows Operating System.         | 7 |
|    |  |                                   |   |



| 4. | Answer the following:  A) What is compiler? Give the difference between compiler and Interpreter.  B) What is Number system? Explain Binary and Decimal number system with example.   | 7 |
|----|---|---|
| 5. | Answer the following:   |   |
|    | A) Explain different types of programming languages.  | 7 |
|    | B) What is the role of operating system? Explain in detail.   | 7 |
| 6. | Answer the following:   |   |
|    | <ul> <li>A) Explain following Unix commands with suitable examples. <ol> <li>i) date</li> <li>ii) Is</li> <li>iii) mkdir</li> <li>iv) cat.</li> </ol> </li> <li>B) What is internet? Explain various uses of Internet.</li> </ul> | 8 |
| 7  |   | J |
| 1. | Answer the following:   | _ |
|    | A) Explain various formatting commands on Text in MS-Word.  | 7 |
|    | B) What is spreadsheet? Explain linking of workbooks.   | 7 |

**SLR-G-7** 



| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – I (Semester – I) (Computer Science) Examination, 2015 (Old CGPA) PROGRAMMING USING C

Day and Date: Wednesday, 18-11-2015 Total Marks: 70

Time: 10.30 a.m. to 1.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Choose correct alternatives :

```
10
```

```
1) What is the output of the program?
   #include <stdio.h>
   void main ()
    switch (5)
          {
             case 5: printf ("5")
             default : printf ("10");
             case 6: printf ("6")
          }
   }
   a) 5
                                            b) 5 10
   c) 5 10 6
                                            d) 5 6
2) What will be the output of the following program?
   void main () {
   int x [] = \{10, 20, 30, 40, 50\};
   printf ("\n %d %d %d %d", x[4], 3[x], x[2], 1[x], x[0]);}
                                           b) 10 20 30 40 50
   a) compile time error
   c) 50 40 30 20 10
                                           d) none of these
```



| 3) | Th                        | e operator $+$ in a $+$ = 4 means        |       |                      |  |  |
|----|---------------------------|--|-------|----------------------|--|--|
|    | a)                        | a = 4 + 4                                | b)    | a + 4 = a            |  |  |
|    | c)                        | a = 4                                    | d)    | a = a + 4            |  |  |
| 4) | Wr                        | nat is the output of the program?        |       |                      |  |  |
|    | #in                       | clude <stdio.h></stdio.h>                |       |                      |  |  |
|    | #de                       | efine MAX 20                             |       |                      |  |  |
|    | voi                       | d main ( )                               |       |                      |  |  |
|    | {                         |  |       |                      |  |  |
|    |                           | printf(" $%d$ ", + +MAX));               |       |                      |  |  |
|    | }                         |  |       |                      |  |  |
|    | a)                        | No error, output is 20                   |       |                      |  |  |
|    | b)                        | No error, output is 21                   |       |                      |  |  |
|    | c)                        | Error: Define directive needs an ide     | entii | fier                 |  |  |
|    | d)                        | Error: Lvalue required                   |       |                      |  |  |
| 5) | What will be the output ? |  |       |                      |  |  |
|    | void main () {            |  |       |                      |  |  |
|    | prii                      | ntf ("%d", 'B' <'A');}                   |       |                      |  |  |
|    | a)                        | Error                                    | b)    | 1                    |  |  |
|    | c)                        | 0  | d)    | none of these        |  |  |
| 6) | Th                        | e operator & & is an example for         |       | operator.            |  |  |
|    | a)                        | Assignment                               | b)    | Increment            |  |  |
|    | c)                        | Logical                                  | d)    | Relational           |  |  |
| 7) | Wh                        | nich of the following format specifier i | is u  | sed for hexadecimal? |  |  |
|    | a)                        | %d                                       | b)    | %x                   |  |  |
|    | c)                        | %0                                       | d)    | %f                   |  |  |
| 8) | Wr                        | nat is the output of this program?       |       |                      |  |  |
|    | void main ( ) {           |  |       |                      |  |  |
|    | int $a = b = c = 10$ ;    |  |       |                      |  |  |
|    | a = b = c = 50;           |  |       |                      |  |  |
|    | prii                      | nf ("\n%d %d %d", a, b, c);}             |       |                      |  |  |
|    | a)                        | 50 50 50                                 | b)    | compile time error   |  |  |
|    | c)                        | 10 10 10                                 | d)    | three garbage value  |  |  |



|    | 9)    |          | nat will be the output?   |                                |   |
|----|-------|----------|---|--------------------------------|---|
|    |       | VOI      | id main ( ){  |                                |   |
|    |       | ۵)       | printf("%d", 'A' < 'B');}   | b) 1                           |   |
|    |       | ,        | Error   | b) 1                           |   |
|    | 10)   | c)       |   | d) None of these               |   |
|    | 10)   | a)       | static variable by default gets initialize                              | b) blank space                 |   |
|    |       | a)<br>C) |   | d) garbage value               |   |
|    | R) St | ,        | whether <b>true</b> or <b>false</b> :                                   | d) garbage value               | 4 |
|    | ,     |          | ferent programmers use their own st                                     | vle of writing pseudo code     | 7 |
|    |       |          | perators have hierarchy.  | yle or writing paedde code.    |   |
|    | ,     | •        | continue' statement takes the execut                                    | ion control out of the loop.   |   |
|    | •     |          | o-while' loop is exit-controlled loop sta                               | •                              |   |
| 0  | ,     |          | ·   |                                | 0 |
| ۷. | •     |          | short notes on the following:   |                                | 8 |
|    | ,     |          | eak statement.<br>crement and decrement operator.                       |                                |   |
|    | ·     |          | ·   |                                | 6 |
|    | •     |          | er the following :<br>nat is pseudo code ? What are the ad <sup>,</sup> | vantages of pseudo codo ?      | 0 |
|    | •     |          | rite a program to find the greatest ar                                  | ·                              |   |
|    | 11)   |          | :) operator.  | nong two numbers using ternary |   |
| 3. | Answ  | er th    | he following :  |                                |   |
|    | a) Ex | oplai    | in the following using general syntax a                                 | and example                    |   |
|    | i)    | if       |   |                                |   |
|    | ii)   | if-e     | else  |                                |   |
|    | iii)  | nes      | sted if-else.   |                                | 6 |
|    | b) De | escr     | ibe pointer with example.   |                                | 8 |
| 4. | Answ  | er th    | he following :  |                                |   |
|    | a) W  | hat      | are the various types of operators in                                   | C?                             | 8 |
|    |       |          | nce between two points $(x_1, y_1)$ and $(x_1, y_2)$                    |                                | c |
|    | D²    | - = (    | $(x_2 - x_1)^2 + (y_2 - y_1)^2$ . Write a progra                        | m to compute D.                | 6 |



#### 5. Answer the following:

a) Write a program to create file "eight" to store all integers between 1 and n which are divisible by 8.

-4-

- . \_
- b) Describe various functions supported by C for dynamic memory allocation.
- 8

6

#### 6. Answer the following:

a) Write a program to enter n elements in array and find second largest number from array.

' 7

b) What is preprocessor? Write purpose of any five preprocessors in C.

7

#### 7. Answer the following:

a) Write a C language program to define structure for class containing class, name, no. of students and block no. Read 5 records and display it.

8

b) What is the difference between the array of pointer and pointer to the array? Explain with example.

6

\_\_\_\_\_

| Seat |  |
|------|--|
| No.  |  |

|            | M.C.A. (Part – I) (Semester – I) Examination, 2015<br>COMPUTER SCIENCE (Old CGPA)<br>Discrete Mathematical Structures |                            |                                   |                                     |   |  |
|------------|---|----------------------------|-----------------------------------|-------------------------------------|---|--|
| Day and D  | ate : Friday, 20-1  | 1-2015                     |                                   | Total Marks : 7                     | 0 |  |
| Time: 10.5 | 30 a.m. to 1.00 p.  | m.                         |                                   |                                     |   |  |
|            | Instructions : i)   | Question Nos. <b>1</b>     | and <b>2</b> are <b>compul</b> s  | sory.                               |   |  |
|            | ii)   | Attempt any thre           | ee questions from                 | Q.No. <b>3</b> to Q. No. <b>7</b> . |   |  |
|            | iii)  | Figures to the <b>ri</b> g | <b>ght</b> indicate <b>full</b> m | arks.                               |   |  |
| 1. A) S    | elect most correc   | t alternative :            |                                   | 1                                   | 0 |  |
| i)         | Every finite sub  | set of a lattice ha        | ıs                                |                                     |   |  |
|            | a) a LUB and a  | GLB                        | b) many LUBs ar                   | nd a GLB                            |   |  |
|            | c) many LUBs a  | and many GLBs              | d) either some Ll                 | JBs and som GLBs                    |   |  |
| ii)        | ) If every element  | t of group G is its        | own inverse, ther                 | n G is                              |   |  |
|            | a) finite   | b) infinite                | c) cyclic                         | d) abelian                          |   |  |
| iii)       | The number of v   | vertices of odd de         | egree in a graph is               |                                     |   |  |
|            | a) always zero  |                            | b) either even or                 | odd                                 |   |  |
|            | c) always odd   |                            | d) always even                    |                                     |   |  |
| iv         | ) A graph in which  | n all nodes are of         | equal degree is ca                | alled                               |   |  |
|            | a) multi graph  |                            | b) non regular gra                | aph                                 |   |  |
|            | c) regular graph  | 1                          | d) complete grap                  | h                                   |   |  |
| V)         | ) The number of b   | oinary relations o         | n a set with n elem               | ents                                |   |  |
|            | a) n <sup>2</sup>   | b) 2 <sup>n</sup>          | c) 2 <sup>n<sup>2</sup></sup>     | d) None of these                    |   |  |
|            |   |                            |                                   |                                     |   |  |

vi) The number of functions from an m element set to an n element set is



|    |    |      | a) m + n                            | b) n <sup>m</sup>                             | c)   | m <sup>n</sup>       | d) all of these             |   |
|----|----|------|-------------------------------------|---|------|----------------------|-----------------------------|---|
|    | ١  | /ii) | In propositional I                  | ogic, which of the                            | e fo | llowing is equiv     | valent to $p \rightarrow q$ |   |
|    |    |      | a) ~ p∨q                            | b) $\sim p \rightarrow q$                     | c)   | ~ p∨ ~ q             | d) $p \rightarrow \sim q$   |   |
|    | ٧  | iii) | If $A^T = A^{-1}$ wher              | e A is a real mat                             | rix, | then A is            |                             |   |
|    |    |      | a) Normal                           |   | b)   | Symmetric            |                             |   |
|    |    |      | c) Hermitian                        |   | d)   | Orthogonal           |                             |   |
|    |    | ix)  | The proposition                     | is $p \wedge (\sim p \vee q)$ is              |      |                      |                             |   |
|    |    |      | a) a tautology                      |   | -    | a contradiction      | l                           |   |
|    |    |      | c) logically equi                   | valent to p ∧ q                               | d)   | none of these        |                             |   |
|    |    | x)   | The number of w                     | ords that can be                              | for  | med out of the       | letters of the word         |   |
|    |    |      | 'COMMITTEE' is                      | 3   |      |                      |                             |   |
|    |    |      | a) $\frac{9!}{(2!)^3}$              | b) $\frac{9!}{(2!)^2}$                        | c)   | 9!                   | d) 9!                       |   |
|    | B۱ | Fill | in the blanks :                     | (=.)  |      | <b>L</b> :           |                             | 4 |
|    | ٥, |      |                                     | circular permutat                             | ions | s of n different     | things taken all at a       | • |
|    |    | •,   | time is                             | <u>-</u>                                      |      | _                    | amigo tanon an at a         |   |
|    |    | ii)  | A square matrix                     | in which a <sub>ij</sub> = a <sub>ji</sub> fo | or a | ıll i, j is called _ |                             |   |
|    |    | iii) |                                     |   | with | a closed path        | that includes every         |   |
|    |    | iv)  | vertex exactly or Only              |   | m    | anning nossess       | s inverse mapping.          |   |
| 0  |    | •    | -                                   |   |      | apping poocoo        | mveree mapping.             | 0 |
| ۷. | A) |      | rite short notes or<br>Group codes. | 1:  |      |                      |                             | 8 |
|    |    | -    | Planar graphs.                      |   |      |                      |                             |   |
|    | B) | -    | swer the following                  | g:  |      |                      |                             | 6 |
|    | ,  |      | Explain the equiv                   |   |      |                      |                             |   |
|    |    | ii)  | Explain orthogor                    | nal matrix.                                   |      |                      |                             |   |
|    |    |      |                                     |   |      |                      |                             |   |

3. A) Solve following equations by matrix inversion method.

7

7

$$3x + 3y + 3z = 18$$

$$6x - 3y + 3z = 9$$

$$3x + 6y - 3z = 6$$
.

B) Find the transitive closure of the given relation using Warshall's algorithm.

 $A = \{1, 2, 3, 4\}$  and  $B = \{(1, 1), (1, 4), (2, 2), (2, 4), (3, 2), (3, 3), (4, 1), (4, 4)\}$ 

4. A) Let A = {1, 2, 3, 4, 5} and let R be a relation on A, such that matrix relation. 7

 $M_{R} = \begin{bmatrix} 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 1 & 0 \\ 1 & 1 & 0 & 0 & 1 \\ 0 & 1 & 0 & 1 & 0 \\ 1 & 0 & 0 & 0 & 1 \end{bmatrix}.$ 

Construct a linked list representation, VERT, TAIL, HEAD, NEXT, for the relation R.

B) Suppose a valid computer password consists of 4 characters, the first one chosen from the Set {A, B, C, D, E} and the remaining three from English alphabets or digits {0, 1, ...... 9}. How many different passwords are there?

7

5. A) Check the validity of the following arguments.

7

All men are mortal. Socrates is a man. Therefore, Socrates is mortal.

B) What is the theory of inference for predicate calculus? Hence show that

$$(x) (P(x) \rightarrow Q(x)) \land (x)(Q(x) \rightarrow R(x)) => (x) (P(x) \rightarrow R(x)).$$



6. A) Obtain the principle DNF (Disjunctive Normal Form) and principle CNF (Conjuctive Normal Form) of the following formula

 $(\sim P \rightarrow R) \land (Q \leftarrow \rightarrow P)$ .

7

B) Define a Lattice. Show that  $D_{30}$  i.e. all positive divisors of 30 form a lattice. Draw Hasse Diagram of the same.

7

7. A) Explain the following term with suitable example.

7

- i) Regular and bipartite graphs.
- ii) Walks and paths.
- B) In a survey of 120 people it is found that 50 like to drink milk, 52 coffee and 52 tea. Also 18 like both milk and tea, 22 like milk and coffee, 16 like coffee and tea and 16 like none of the three. Using Venn diagram.

7

i) Find the number of people who like all the three drinks.

ii) Find the number of people who like exactly one of the three drinks.

\_\_\_\_\_

**SLR-G-9** 

| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – I (Semester – I) (Old CGPA) Examination, 2015

|  | COMPUTER Circuits and | SCIENCE            | sors                                |
|--|-----------------------|--------------------|-------------------------------------|
| Day and Date : Monday, 23-11<br>Time : 10.30 a.m. to 1.00 p.m. |                       |                    | Max. Marks : 70                     |
| •  |                       | uestions from Q    | . No. <b>3</b> to Q. No. <b>7</b> . |
| 1. A) Choose correct alterna                                   | atives from giver     | n answers :        | (1×10=10)                           |
| 1) Digital circuits use of                                     | diodes or transis     | tors as            |                                     |
| a) switches  | b) inputs             | c) outputs         | d) none                             |
| <ol><li>Which logic gate ass<br/>1 state ?</li></ol>           | sumes 1 as outp       | ut, if one or more | e of the inputs assume              |
| a) AND   | b) OR                 | c) NOT             | d) None                             |
| 3) Which one is known  | ı as universal loç    | gic gate ?         |                                     |
| a) NAND  | b) AND                | c) NOT             | d) OR                               |
| 4) A counter is one of t                                       | the most useful a     | and versatile su   | bsystems in a                       |
| a) analog system   |                       | b) digital syste   | em                                  |
| c) control system  |                       | d) none            |                                     |
| 5) A decade counter re   | quires                | flip flops.        |                                     |
| a) two   | b) three              | c) four            | d) five                             |
| 6) Group of flip flops us                                      | sed to store a bi     | nary number is o   | called                              |
| a) counter   | b) logic gate         | c) register        | d) none                             |
| 7) A bidirectional shift                                       | register is one ir    | n which the data   | can be shifted                      |
| a) left  |                       | b) right           |                                     |
| c) either left or righ   | nt                    | d) none            |                                     |
| 8) The physical compo  | nents of the con      | nputer are called  | d                                   |
| a) system  | b) hardware           | c) software        | d) all                              |

|    | 9           | ) The instruction has                     |                 |                                 |          |
|----|-------------|---|-----------------|---------------------------------|----------|
|    |             | a) op code                                | b)              | operand                         |          |
|    |             | c) both a) and b)                         | d)              | none                            |          |
|    | 10          | ) The method of specifying an operand     | lis             |                                 |          |
|    |             | a) addressing mode                        | b)              | loading                         |          |
|    |             | c) extraction                             | d)              | none                            |          |
|    | B) N        | Mention whether the following statemer    | nt is           | True or False :                 | (1×4=4)  |
|    | 1           | ) Solid state devices like PN-diode is a  | ıse             | d in digital circuits as switch | es.      |
|    | 2           | ) AND logic gate is not referred as a un  | nive            | ersal gate.                     |          |
|    | 3           | ) A multiplexer gives only one output.    |                 |                                 |          |
|    | 4           | ) A microprocessor is basically a progr   | am              | nmable logic chip.              |          |
| 2. | A) V        | Vrite short notes on the following:       |                 |                                 | 8        |
|    | ,           | i) Universal logic gates                  |                 |                                 |          |
|    | į           | i) 2 to 4 line decoder.                   |                 |                                 |          |
|    | B) <i>A</i> | Answer the following :                    |                 |                                 | 6        |
|    |             | i) With a neat diagram explain the wor    | kin             | g of a half adder circuit.      |          |
|    | i           | i) Name the flags available with 8086 n   | nicı            | roprocessor.                    |          |
| 3. | A) S        | State and prove DeMorgan's theorems.      |                 |                                 | (7+7=14) |
|    | B) E        | Explain the operation of edge triggered t | flipf           | flops.                          |          |
| 4. | A) [        | Draw a neat diagram of 4 to 1 multiplexe  | r us            | sing AND and an OR gate. Gi     | ve its   |
|    | tı          | ruth table. Explain its working.          |                 |                                 | (7+7=14) |
|    | B) V        | Vhat are decoders? Give a neat diagra     | ım              | of BCD to decimal decoder.      |          |
| 5. | A) V        | What are shift Registers? Describe the    | ty <sub>l</sub> | pes shift registers.            | (7+7=14) |
|    | B) E        | Explain Johnson counter using 7495.       |                 |                                 |          |
| 6. | A) E        | Explain the internal structure of 8085 μ  | p.              |                                 | (7+7=14) |
|    | B) E        | Explain the various categories of instruc | ctio            | n set used in 8085 μp.          |          |
| 7  | Δ) F        | Explain the internal structure of 8086 μ  | n               |                                 | (7+7=14) |
| •  | •           | Explain various types of addressing mo    | -               | s used in 8086 u.n.             | (1.1-14) |
|    | <i>D,</i> L | Explain various types of addressing file  | 400             | σ ασσα πι σσσσ μ μ.             |          |
|    |             | <del></del>                               |                 | <del></del>                     |          |

**SLR-G - 10** 



| Seat |  |
|------|--|
| No.  |  |

## M.C.A. – I (Semester – I) Examination, 2015 COMPUTER SCIENCE (Old CGPA) Management

| Day and Date: Thursday, 26-11-2015 | Total Marks : 70 |
|------------------------------------|------------------|
|------------------------------------|------------------|

Time: 10.30 a.m. to 1.00 p.m.

**Instructions**: 1) Question No. 1 and 2 are compulsory.

is Rs. 50,000. The total assets of the firm are

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Select the correct alternative:
  - 1) The outside liabilities of a business are Rs. 20,000. The proprietor's capital

5

a) Rs. 50,000

b) Rs. 30,000

c) Rs. 70,000

- d) Rs. 20,000
- 2) The equality of debits and credits can be tested periodically by preparing a
  - a) Trial Balance
- b) T Account
- c) General Journal
- d) Ledger
- 3) Bank overdraft is a \_\_\_\_\_ liability.
  - a) Current

b) Fixed

c) Debit

- d) Loss
- 4) Net Working Capital =
  - a) Current Asset plus Current Liabilities
  - b) Liabilities minus Assets
  - c) Current Assets minus Current Liabilities
  - d) Fixed Assets minus Current Assets
- 5) A company makes plastic windows and doors. Which one of the following is likely to be a fixed cost?
  - a) The cost of heating the factory
  - b) The cost of plastic
  - c) Sales commission
  - d) None of these

ii) Received as commission Rs. 80,000

iii) Cash deposited into Bank Rs. 10,00,000

b) State the advantages and importance of training.

iv) Withdrawn cash from Bank for personal expenses Rs. 1,50,000

v) Bank paid Rs. 60,000 directly for insurance premium of Vasudev.



#### 4. Solve the following:

a) From the following Trial Balance prepare Trading. Profit and Loss account for the year ended 31-12-2013 and Balance Sheet as on that date.

| Particulars             | Debit    | Credit   |
|-------------------------|----------|----------|
| Purchase                | 80,000   | _        |
| Sales                   | _        | 1,50,000 |
| Wages                   | 10,000   | _        |
| Printing and Stationery | 1,000    | _        |
| Postage                 | 1,000    | _        |
| Insurance               | 2,000    | _        |
| Capital                 | _        | 1,00,000 |
| Sundry Creditors        | _        | 44,000   |
| Land and Building       | 40,000   | _        |
| Plant and Machinery     | 60,000   | _        |
| Cash                    | 30,000   | _        |
| Bank                    | 30,000   | _        |
| Sundry Debtors          | 40,000   | _        |
|                         | 2,94,000 | 2,94,000 |

b) A manufacturing company has an expected usage of 50000 units of certain product during the next year. The cost of processing an order is Rs. 20 and the carrying cost per unit is Rs. 0.50 for one year. You are required to calculate the EOQ.

5. Answer the following:

14

- a) Write advantage and disadvantages of Weighted average.
- b) Write a note on strategic planning and task control.

#### 6. Answer the following:

8

a) From the following particulars Store Ledger Account show how value of the issues would be recorded under the LIFO method.

| Date    | Particulars                            |
|---------|--|
| Jan. 3  | Opening stock 120 units at Rs. 10 each |
| Jan. 9  | Purchased 800 units at Rs. 12 each     |
| Jan. 10 | Issued 200 units                       |
| Jan. 15 | Issued 300 units                       |
| Jan. 22 | Issued 310 units                       |
| Jan. 27 | Purchased 300 units at Rs. 11 each     |
| Jan. 29 | Issued 350 units                       |
|         |  |

b) Write a note on Functions of Controller.

6

### 7. Answer the following:

- a) Write a note on Accounting Concepts.
- b) What are the informal and formal factors influencing control system?

**SLR-G-11** 



| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – I (Sem. – II) (New) (CGPA) Examination, 2015 COMPUTER SCIENCE Object Oriented Programming Using C++

|          | Object              | Oriented Prog             | ramm     | ing Using C+       | -+             |    |
|----------|---------------------|---------------------------|----------|--------------------|----------------|----|
| -        | Date: Tuesday, 17-  |                           |          |                    | Max. Marks :   | 70 |
|          | 30 a.m. to 1.00 p.i |                           |          |                    |                |    |
| Instru   | uctions: 1) Ques    |                           |          |                    |                |    |
|          | •                   | npt <b>any 3</b> questic  |          |                    | No. <b>7</b> . |    |
|          | 3) Figur            | es to the <b>right</b> in | dicate   | <b>full</b> marks. |                |    |
| 1. A) Ch | noose correct alter | natives :                 |          |                    |                | 10 |
| 1)       | Which function is   | used to set the           | width o  | f variable ?       |                |    |
| ,        | a) width()          | b) weedth()               |          | c) setwidth()      | d) setweedth() |    |
| 2)       | The words which     | has predefined n          | neanin   | are called as      |                |    |
| ,        | a) Reverse word     |                           | ,        | b) Predefined w    | vords          |    |
|          | c) Keywords         |                           |          | d) Winwords        |                |    |
| 3)       | Strings are         |                           |          | ,                  |                |    |
| -,       | a) Set of charac    | ters                      |          | b) Set of symbol   | ols            |    |
|          | c) Set of digits    |                           |          | d) None of thes    |                |    |
| 4)       | '<<' operator is ca | alled as                  |          | ,                  |                |    |
| -,       | a) Extractor ope    |                           |          | b) Insertion ope   | erator         |    |
|          | c) Relational ope   |                           |          | d) Arithmetic or   |                |    |
| 5)       | Which data type i   |                           | ent cha  | ·                  |                |    |
| -,       | a) Double           | b) Float                  |          | c) Character       | d) Char        |    |
| 6)       | Data hiding is als  | o known as                |          | ,                  | ,              |    |
| -,       | a) Data abstract    |                           |          | b) Data encaps     | ulation        |    |
|          | c) Meta data        |                           |          | d) Data mining     |                |    |
| 7)       | In C++, function s  | should                    |          | ,                  |                |    |
| - /      | a) Return a value   |                           |          | b) Not return a    | value          |    |
|          | c) Pass at least    |                           |          | d) None of thes    |                |    |
| 8)       | How many types      |                           | exist ir | ,                  |                |    |
| 3)       | a) 5                | b) 4                      | c) 3     | d) <sup>-</sup>    | 1              |    |
|          | ,                   | ,                         | , =      | /                  |                |    |

**SLR-G - 11** 9) Which operator is not undergone overloading? a) +b) c) :: d) << 10) Pointer variables are used to store the a) Value b) Address c) Key d) None of these B) State whether following statements are **true** or **false**: 4 1) Arrays are itself called as pointers. 2) Float data type is used to store a real number. 3) Object of one class acquires the property of another class. 4) Ability to take more than one form is called as polymorphism. 2. A) Write short notes on the following: 8 i) Ternary Operator ii) Data Abstraction. B) Answer the following: 6 i) How does manipulators works? ii) Differentiate between public and private visibility modes. 3. Answer the following: 14 A) Write a program in C++ to demonstrate Friend function. B) What is inheritance? Discuss different types of inheritance. 14 4. Answer the following: A) Define a class student with roll no, sname, sclass, scaste as data members and studinfo as member function. Write a code to accept student information and display that information. B) How does the compile time polymorphism works? Explain. 5. Answer the following: 14 A) Explain in detail the difference between structure and class. B) Write a C++ Program to implement parameterized constructor. 6. Answer the following: 14 A) Describe the concept of object as function argument. B) How dynamic initialization of object is achieved? Discuss. 7. Answer the following: 14 A) Write a program in C++ to demonstrate unary operator. B) Discuss the different types of data types used in C++.

| Coot |  |
|------|--|
| Seat |  |
| No.  |  |

# M.C.A. – I (Semester – II) Examination, 2015 COMPUTER SCIENCE (CGPA New)

|  | Data Sti   | ructures             |                                   |   |
|--|--|----------------------|-----------------------------------|---|
| Day and Date: Thursday<br>Time: 10.30 a.m. to 1.00 |  |                      | Max. Marks : 70                   | ) |
| Instructions:                                      | 1) Question No. <b>1</b> a<br>2) Attempt <b>any 3</b> q<br>3) Figures to the <b>ri</b> | uestions from Q.I    | No. <b>3</b> to Q. No. <b>7</b> . |   |
| 1. A) Choose correct a                             | llternatives.  |                      | 10                                | 0 |
| 1) A mathemat model is call                        |  | collection of opera  | ations defined on that            |   |
| a) Data Stru                                       | cture  | b) Abstract Da       | ata Type                          |   |
| c) Primitive                                       | Data Type  | d) Algorithm         |                                   |   |
| •  | computer may perio<br>guous block of free  | •                    | he free memory space<br>lled      |   |
| a) Concaten  | ation  | b) Garbage co        | ollection                         |   |
| c) Collision                                       |  | d) Dynamic M         | emory Allocation                  |   |
| 3) The memory                                      | address of the first   | element of an arr    | ay is called                      |   |
| a) floor addr                                      | ress   | b) foundation        | address                           |   |
| c) first addre                                     | ess  | d) base addre        | SS                                |   |
| <ol><li>Which of the<br/>data element</li></ol>    | •  | cture can't store tl | ne non-homogeneous                |   |
| a) Arrays  | b) Records   | c) Pointers          | d) None of these                  |   |
| 5) The term "pu                                    | ısh" and "pop" is rela   | ated to the          |                                   |   |
| a) array   | b) lists   | c) stacks            | d) all of above                   |   |
| 6) The situation                                   | n when in a linked lis   | t START=NULL is      | S                                 |   |
| a) underflow                                       | b) overflow  | c) housefull         | d) saturated                      |   |



|    | 7)      | W     | hich of the follo                 | wir  | ng statement is   | s false ?            |            |              |    |
|----|---------|-------|-----------------------------------|------|-------------------|----------------------|------------|--------------|----|
|    |         | a)    | arrays are der                    | ise  | lists and stati   | c data structure     |            |              |    |
|    |         | b)    | data elements<br>memory           | in   | linked list nee   | ed not be stored i   | n adjace   | ent space in |    |
|    |         | c)    | pointers store                    | the  | e next data ele   | ment of a list       |            |              |    |
|    |         | d)    | linked lists are and next point   |      | ollection of the  | e nodes that cont    | ain infor  | mation part  |    |
|    | 8)      |       | ne number of in<br>der using Bubb |      |                   | ired to sort 5, 1,   | 6, 2, 4 in | ascending    |    |
|    |         | a)    | 6                                 | b)   | 5                 | c) 7                 | d) 8       |              |    |
|    | 9)      | Th    | ne smallest eler                  | ne   | nt of an array's  | s index is called it | S          |              |    |
|    |         | a)    | lower bound                       | b)   | upper bound       | c) range             | d) extr    | action       |    |
|    | 10)     | Th    | ne data structur                  | e re | equired to eval   | luate a postfix exp  | oression   | is           |    |
|    |         | a)    | queue                             | b)   | stack             | c) array             | d) linke   | ed-list      |    |
|    | B) Fill | in t  | he blanks or <b>tr</b> u          | ıe/  | false.            |                      |            |              | 4  |
|    | 1)      | Fir   | nding the locatio                 | n c  | of the element    | with a given value   | e is       |              |    |
|    | 2)      |       | e time factor wh<br>              | en   | determining th    | ne efficiency of al  | gorithm is | s measured   |    |
|    | 3)      | Nu    | II case does ex                   | ist  | in complexity     | theory is true/fals  | e.         |              |    |
|    | 4)      | Th    | e operation of p                  | ro   | cessing each e    | element in the list  | is known   | n as         |    |
| 2. | A) Wr   | ite s | short notes on t                  | ne   | following.        |                      |            |              | 8  |
|    | i)      | Ex    | plain the classi                  | fica | ation of data st  | ructure.             |            |              |    |
|    | ii)     | Wł    | nat do you mea                    | n b  | y algorithm? C    | Give example.        |            |              |    |
|    | B) An   | swe   | er the following.                 |      |                   |                      |            |              | 6  |
|    | •       |       | _                                 | ica  | tions of an arra  | ay ? Explain each    | with exa   | amples.      |    |
|    | •       |       | rite an algorithm                 |      |                   |                      |            | •            |    |
| 3. | Answe   | er th | e following.                      |      |                   |                      |            |              | 14 |
|    | A) E    | xpla  | in application o                  | f S  | tack.             |                      |            |              |    |
|    | B) W    | /hat  | are the advant                    | aa   | es of circular li | nked list over sin   | gly linke  | d list ?     |    |
|    | ,       |       | ·-                                |      | •                 |                      |            |              |    |

| 4. | Answer the following.   | 14 |
|----|---|----|
|    | A) What are the difference between linear search and binary search?   |    |
|    | B) Write an algorithm for insert and delete operation in array.       |    |
| 5. | Answer the following.   | 14 |
|    | A) Explain sparse matrix. What are the benefits of the sparse matrix? |    |
|    | B) Write an algorithm to search element in array.                     |    |
| 6. | Answer the following.   | 14 |
|    | A) Write pseudo-code for binary search using array and linked list.   |    |
|    | B) Write short note on Priority Queue.                                |    |
| 7. | Answer the following.   | 14 |
|    | A) Write short note on bubble sort with algorithm.                    |    |
|    | B) Explain application of binary tree.                                |    |
|    |   |    |

**SLR-G - 13** 

| Seat |  |
|------|--|
| No.  |  |

d) none

### M.C.A. – I (Semester – II) (Computer Science) (New CGPA) Examination, 2015 NUMERICAL ANALYSIS

|          |  |   | L ANALYSIS  |                                   |
|----------|--|---|---|-----------------------------------|
| -        | ate : Saturday, 2<br>30 a.m. to 1.00 p                       |   |   | Max. Marks : 70                   |
| Instr    | ii) Atte   | empt <b>any three</b> d                 | <b>2</b> are <b>compulsory</b> .<br>questions from Q. I<br>side indicate the <b>f</b> t | No. <b>3</b> to Q. No. <b>7</b> . |
| 1. A) Ch | oose the correc  | t alternatives :                        |   | 10                                |
| i)       | Which of the fol   | lowing values of                        | the number $\frac{1}{3}$ is the   | ne best approximation?            |
|          | a) 0.30  | b) 0.33                                 | c) 0.34   | d) 0.32                           |
|          |  | equation $e^{-x} = 10$                  |   |                                   |
|          | a) (–1, 2)   | b) (–2, –1)                             | c) (0, 1)   | d) (1, 2)                         |
| iii)     | General formula  | a given by $x_{n+1} =$                  | $\frac{x_{n-1}f(x_n) - x_nf(x_{n-1})}{f(x_n) - f(x_{n-1})}$                             | ) is for                          |
|          | a) Bolzano met   | hod                                     | b) Regula-Falsi n   | nethod                            |
|          | c) Newtons Ra  | psons method                            | d) Secant method  | b                                 |
| iv)      | <del>-</del>   | technique to find<br>the value of a fur | · ·   | ) at a point outside the          |
|          | a) is not given  |   | b) have been give   | en                                |
|          | c) is zero   |   | d) none   |                                   |
| v)       |  |   | using Trapezoidal   | rule is                           |
|          | a) 0.2   | b) 0.26 <sup>0</sup>                    | c) 0.3  | d) none                           |
| vi)      |  | lowing method is                        |   |                                   |
|          | ,  | nation method                           | ,   | method                            |
|          | c) Both a) and   | •                                       | d) None   |                                   |
| vii)     |  | eal symmetric ma                        | atrix are   |                                   |
|          | a) all real  | compley                                 |   |                                   |
|          | <ul><li>b) all non-real of</li><li>c) some real ar</li></ul> | nd some non-rea                         | complex   |                                   |



- viii) In Simpson's  $\frac{3}{8}$ <sup>th</sup> rule number of values must be
  - a) 4 or 7 or 10 or 13
- b) 3 or 6 or 9 or 12

c) 5 or 10 or 15

- d) none
- ix) The largest Eigen value of the matrix  $\begin{bmatrix} 1 & 6 & 1 \\ 1 & 2 & 0 \\ 0 & 0 & 3 \end{bmatrix}$  is \_\_\_\_\_\_
  - a) 4
- b) 2
- c) 0

d) 1

- x)  $\Delta y_1, \Delta y_2, \Delta y_3, ....., \Delta y_{n-1}$  are all
  - a) 1st order forward difference
  - b) nth order difference
  - c) nth degree difference
  - d) none
- B) State the following are true or false:

4

- i) Newtons Rapsons method has order of convergence two.
- ii) Taylor's method is single step method to solve ordinary differential equation.
- iii) Euler method is not single step method.
- iv) If number of intervals are 6, then Simpson's  $\frac{3}{8}$ <sup>th</sup> rule is applicable.
- 2. A) Write a short note on the following:

8

- i) Langranges interpolation formula.
- ii) Divided difference.
- B) Answer the following:

6

- i) Explain iteration method and its rate of convergence.
- ii) Explain the Eigen value of symmetric tridiagonal matrix.
- 3. Answer the following:

- A) Explain the error in a series approximation.
- B) Explain absolute, relative and percentage errors.



4. Answer the following:

14

- A) Describe Newton's backward interpolation formula.
- B) Using Newton's forward interpolation formula evaluate f(15) for the following table:

| Х        | 10 | 20 | 30 | 40 | 50  |
|----------|----|----|----|----|-----|
| y = f(x) | 46 | 66 | 81 | 93 | 101 |

5. Answer the following:

14

A) Using Newton's general interpolation formula for the following table find f(x)as a polynomial in x:

| X    | - 1 | 0   | 3  | 6   | 7    |
|------|-----|-----|----|-----|------|
| f(x) | 3   | - 6 | 39 | 822 | 1611 |

- B) Using Lagrange's interpolation polynomial fitting the points y(1) = -3, y(3) = 0, y(4) = 30, y(6) = 132. Hence find y(5).
- 6. Answer the following:

14

- A) Describe the Gauss-elimination method for given matrix A.
- B) Solve the system of equations:

$$20x + y - 2z = 17$$

$$3x + 20y - z = -18$$

$$2x - 3y + 20z = 25$$

By using Gauss-Seidal iterative method perform the first three iterations.

7. Answer the following:

- A) Evaluate the integral  $\int_{0}^{1} \frac{1}{1+x^{2}} dx$  using Simpson's  $\frac{1}{3}$  rd rule.
- B) Given  $\frac{dy}{dx} = \frac{y-t}{y+t}$  at t = 1.2 with initial conditions y = 1 at t = 0. Find y at t = 0.1in five steps using Euler's method.



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. (Part – I) (Semester – II) Examination, 2015 COMPUTER SCIENCE Operating System (New CGPA)

|  | ,   |
|--|---|
| Day and Date : Tuesday, 24-11-2015   | Max. Marks : 70   |
| Time: 10.30 a.m. to 1.00 p.m.  |   |
| Instructions: I) Q. 1 and Q. 2 are comp<br>II) Attempt any three que<br>III) Figures to right indica | estions from Q. <b>3</b> to Q. <b>7</b> .                       |
| 1. A) Choose the correct alternative :   | 10  |
| 1) provides a convenien hardware.  | t interface between computer user and                           |
| a) Linked list   | b) Operating system   |
| c) Microprocessor  | d) Program Stack  |
| <ol><li>A interface, in which con<br/>commands are entered into files, th</li></ol>                  | nmands and directives to control those nose files are executed. |
| a) Graphical user  | b) Fundamental  |
| c) Directory   | d) Batch  |
| <ol><li>The processes that are residing in<br/>are kept on a list called</li></ol>                   | main memory and waiting to execute                              |
| a) Running queue   | b) System queue   |
| c) Ready queue   | d) Waiting queue  |
| <ol> <li>The buffer has finite ler reside in it.</li> </ol>  | ngth 'n', thus; at most 'n' messages can                        |
| <ul> <li>a) Bounded capacity</li> </ul>  | b) Zero capacity  |
| c) Single capacity   | d) Unbounded capacity   |
| <ol><li>A should be as fas every process switch.</li></ol>   | t as possible, since it is invoked during                       |
| a) I/O Event Wait  | b) Dispatcher   |
| c) Memory Scheduler  | d) Control system   |
|  |   |



|      | 6)     | The value of                                | semaphore can range only between 0 and 1.           |   |
|------|--------|---|---|---|
|      |        | a) Counting                                 | b) Monitor  |   |
|      |        | c) Decimal                                  | d) Binary   |   |
|      | 7)     | In Round Robin algorithm                    | , a small unit of is defined.                       |   |
|      |        | a) Virtual memory                           | b) Time quantum                                     |   |
|      |        | c) Shortest job first                       | d) Wait time  |   |
|      | 8)     | A defines a pa                              | h from the current directory.                       |   |
|      |        | a) Absolute path                            | b) Directory path                                   |   |
|      |        | c) Relative path                            | d) File-directory path                              |   |
|      | 9)     | The beha                                    | ves like writer lock; only one process at a time    |   |
|      |        | can acquire such lock.                      |   |   |
|      |        | a) Hardware Lock                            | b) Exclusive Lock                                   |   |
|      |        | c) Shared Lock                              | d) System Lock                                      |   |
|      | 10)    | A major problem with _ starvation.          | algorithms is indefinite blocking or                |   |
|      |        | a) Disk storage                             | b) Page replacement                                 |   |
|      |        | c) Priority                                 | d) First Come First Serve                           |   |
| В    | 3) Sta | ate <b>True</b> or <b>False</b> :           |   | 4 |
|      | 1)     | The ability to execute an                   | operation on an object is an access right.          |   |
|      | 2)     | A network operating system hardware system. | m is loosely coupled software on loosely coupled    |   |
|      | •      | A threat is an attempt to b violation.      | eak security and attack is potential for a security |   |
|      | 4)     | A physical memory divid                     | ed into fixed sized blocks is called as page.       |   |
| 2. A | () Wi  | rite a short note :                         | <b>(</b>  | 8 |
|      | •      | Critical Section Problem.                   |   |   |
|      | ii)    | Process State.                              |   |   |
| В    | ) An   | swer the following:                         |   | 6 |
|      | ′      | What do you mean by sw                      | apping?   |   |
|      |        | What do you mean by pre                     |   |   |
|      |        |   |   |   |



| 3. | Answer the following:   |   |
|----|---|---|
|    | A) What do you mean by Deadlock? Discuss deadlock characterization in detail.   | 7 |
|    | B) What do you mean by system call? Discuss components of Computer System.  | 7 |
| 4. | Answer the following:   |   |
|    | A) Define the term Process Synchronization. Explain in detail Producer-Consumer problem.  | 7 |
|    | B) Enlist various file operations. Discuss First Come First Serve Disk scheduling method with suitable example.                                     | 7 |
| 5. | Answer the following:   |   |
|    | A) Define the term Multi-Programmed System. Explain in detail various types of scheduler in detail.   | 7 |
|    | B) What do you mean by Demand paging? Explain in detail steps in involved in handling page fault.   | 7 |
| 6. | Answer the following:   |   |
|    | A) Define the term Cooperative Process. Explain in detail how inter-process communication will be carried.  | 7 |
|    | B) Calculate the total number of page fault using Most Recently Used (MRU) page replacement on following reference string having maximum 03 frames. | 7 |
|    | 7, 0, 1, 2, 0, 3, 0, 4, 2, 3, 0, 3, 2, 1, 2, 0, 1, 7, 0, 1  |   |
| 7. | Answer the following:   |   |
|    | A) What do you mean by Operating System? Discuss in detail vital role of Operating System as being resource allocator.                              | 7 |

B) What are the various CPU Scheduling Criteria? Discuss working of Shortest Job First algorithm using following data:

| P_NAME | P_Burst Time |
|--------|--------------|
| ABC    | 19           |
| XYZ    | 13           |
| PQR    | 15           |
| LMN    | 11           |
| STU    | 18           |
|        |              |

**SLR-G – 15** 



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. (Semester – II) Examination, 2015 COMPUTER SCIENCE (CGPA) Software Engineering (New)

| Date : Friday, 27-11-2015 Max. Marl  |
|--------------------------------------|
| Date . I fludy, 27 11 2015 Max. Mail |

Time: 10.30 a.m. to 1.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.

| 1. | A) | Choose the | correct alternatives |
|----|----|------------|----------------------|
|----|----|------------|----------------------|

10

- 1) The worst type of coupling is
  - A) Data coupling
- B) Control coupling
- C) Stamp coupling
- D) Content coupling
- 2) System analysis and design phase of Software Development Life Cycle (SDLC) includes which of the following?
  - A) Parallel run

- B) Sizing
- C) Specification Freeze
- D) All of above
- 3) Which of the following is not an attribute of software engineering?
  - A) Efficiency

B) Scalability

- C) Dependability
- D) Usability
- 4) Prototyping aims at
  - A) End user understanding and approval
  - B) Program logic
  - C) Planning of dataflow organisation
  - D) None of these
- 5) What is Cyclomatic complexity?
  - A) Black box testing
- B) White box testing
- C) Yellow box testing
- D) Green box testing



|    | 6)                   | How many feasibility studies is   | conducted in Requirement Analysis?  |   |
|----|----------------------|---|---|---|
|    |                      | A) Two  | B) Three  |   |
|    |                      | C) Four   | D) Five   |   |
|    | 7)                   | As the reliability increases, failu   | ure intensity   |   |
|    |                      | A) Decreases  | B) Increases  |   |
|    |                      | C) No effect  | D) None of the above  |   |
|    | 8)                   | Which of the items listed below layers?   | w is not one of the software engineering  |   |
|    |                      | A) Process  | B) Manufacturing  |   |
|    |                      | C) Methods  | D) Tools  |   |
|    | 9)                   | Which tool is use for structured  | designing?  |   |
|    |                      | A) Program flow chart   | B) Structure chart  |   |
|    |                      | C) Data-flow diagram  | D) Module   |   |
|    | 10)                  | A step by step instruction used   | to solve a problem is known as  |   |
|    |                      | A) Sequential structure   | B) A list   |   |
|    |                      | C) A plan   | D) An algorithm   |   |
|    | B) Fil               | l in the blanks :   |   | 4 |
|    | 1)                   | The chosen by or technical goals an organization  | an organization are driven by the business on wishes to accomplish.                         |   |
|    | 2)                   | system where all the requireme remain stable through out the programme of | e development model is most suited to a nts are known at the start of a project and roject. |   |
|    | 3)                   |   | opment of the occurs, e goals and objectives of the project.                                |   |
|    | 41                   |   |   |   |
|    | 4)                   | In an Model   | the first increment is often core product.  |   |
| 2. |                      | In an Model rite a short note on following :  | the first increment is often core product.  | 8 |
| 2. | A) W                 |   | the first increment is often core product.  | 8 |
| 2. | A) W                 | rite a short note on following :  | the first increment is often core product.  | 8 |
| 2. | A) W i) ii)          | rite a short note on following :<br>Software process  | the first increment is often core product.  | 8 |
| 2. | A) W i) ii) B) Ar    | rite a short note on following :<br>Software process<br>Software Myths.   |   |   |
| 2. | A) W i) ii) B) Ar i) | rite a short note on following : Software process Software Myths. nswer the following :   | S.  |   |

| 3. | Answer the following:  | 14 |
|----|--|----|
|    | A) Why is SRS also known as the black box specification of system? Explain.  |    |
|    | B) Differentiate between object oriented and function oriented design.   |    |
| 4. | Answer the following:  | 14 |
|    | A) Design a GUI form for providing student feedback for teaching faculty and infrastructure facilities of the institute. |    |
|    | B) Discuss the importance of Object Oriented analysis, design and testing.   |    |
| 5. | Answer the following:  | 14 |
|    | A) What is documentation? Explain the types of documentation.  |    |
|    | B) What are the objectives of software design? How do we transform an informal design to a detailed design?              |    |
| 6. | Answer the following:  | 14 |
|    | Describe the determinants for software quality and organizational effectiveness.   |    |
|    | B) Explain the steps to create the behavioural Model.  |    |
| 7. | Answer the following:  | 14 |
|    | A) Describe the dimensions of the design model with neat diagram.  |    |
|    | B) Explain various software Testing Strategies.  |    |
|    |  |    |

Max. Marks: 70

10

Seat No.

### M.C.A. I (Semester – II) (Computer Science) Examination, 2015 (Old-CGPA) NUMERICAL TECHNIQUES

Day and Date: Saturday, 21-11-2015

Time: 10.30 a.m. to 1.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the right indicate full marks.
- 1. A) Choose correct alternatives.

i) Newton-Raphson iteration formula for finding  $\sqrt[3]{c}$  , where c>0 is

a) 
$$x_{n+1} = \frac{2x_n^3 + 3\sqrt{c}}{3x_n^2}$$

b) 
$$x_{n+1} = \frac{2x_n^3 - 3\sqrt{c}}{3x_n^2}$$

c) 
$$x_{n+1} = \frac{2x_n^3 + c}{3x_n^2}$$

d) 
$$x_{n+1} = \frac{2x_n^3 - c}{3x_n}$$

ii) For a two equation system

$$a_{11}x_1 + a_{12}x_2 = b_1$$

$$a_{21}x_1 + a_{22}x_2 = b_2$$

a sufficient condition for convergence of the Gauss-Seidel iteration process is

a) 
$$|a_{12}a_{21}| = |a_{11}a_{22}|$$

b) 
$$|a_{12}a_{21}| > |a_{11}a_{22}|$$

c) 
$$|a_{12}a_{21}| < |a_{11}a_{22}|$$

d) 
$$|a_{11}| + |a_{22}| < |a_{12}| + |a_{22}|$$



iii) The smallest degree of the polynomial that interpolates the data

-1 0 3 : -58 -21 -12 -13 -6 f(x) 27

b) 4 a) 3

c) 5 d) 6

iv) The trapezoidal, Simpson's 1/3rd and Simpson's 3/8th rules are exact for polynomials of order

a) 1, 2, 3 respectively

b) 1, 3, 3 respectively

c) 1, 3, 4 respectively

d) 1, 3, 5 respectively

v) Which of the following is true for backward difference operator?

a)  $\nabla^n f(x) = \sum_{r=0}^{n} {^nC_r} f(x-rh)$ 

b)  $\nabla^n f(x) = \sum_{n=0}^{n} (-1)^{n-r} f(x - rh)$ 

c)  $\nabla^n f(x) = \sum_{r=0}^{n} (-1)^{n-r} {}^n C_r f(x-rh)$  d) None of these

vi) If f(x, y) and  $\frac{\partial f}{\partial y}$  are continuous for all (x, y) in the rectangle R and

bounded,  $|f| \le k \left| \frac{\partial f}{\partial v} \right| \le M$  for all  $(x, y) \in R$  then the initial value problem

has at least one solution y (x), this is

- a) Uniqueness theorem for initial value problem
- b) Existence theorem for initial value problem
- c) Greens theorem
- d) None of these

vii) Given initial problem  $y' = \frac{dy}{dx} = f(x, y)$ , where  $y(x_0) = y_0$ . In Runge-Kutta method

a)  $k_3 = hf(x_n + h, y_n + k_2)$ 

b)  $k_3 = hf(x_n, y_n)$ 

c)  $k_3 = hf\left(x_n + \frac{h}{2}, y_n + \frac{k_2}{2}\right)$ 

d) None of these



|    | vi   | iii)             | If in a simplex table th variable, then there ex   |   |              |                                 |                          |   |
|----|------|------------------|--|---|--------------|---------------------------------|--------------------------|---|
|    |      |                  | a) It is starting simple   |   | b)           | It can be an                    | y simplex table          |   |
|    |      |                  | c) It is optimal simple  | x table   | d)           | None of the                     | se                       |   |
|    | İ    | ix)              | The first approximation method taking $x_0 = 0$ is a) 0.3  |   |              | -1 = 0 by Ne 0.33               | ewton-Raphson<br>d) 0.66 |   |
|    |      | x)               | Which of the following are not zero at a solut a) Newton's method i b) Newton's method i c) Newton's method i d) None of these | tion s of f(x) = 0,<br>s of first order<br>s of second orde | the          |                                 |                          |   |
|    | B) F | Fill             | in the blanks.   |   |              |                                 |                          | 4 |
|    |      | i)               | As soon as a new value immediately in the following  | ue of a variable is<br>owing equations,                     | s fo<br>this | und by iterati<br>s method is c | ion, it is used<br>alled |   |
|    |      | ii)              | If f(x) is a polynomial o is   | f degree n in x th  | en r         | n <sup>th</sup> difference      | of this polynomial       |   |
|    | i    | iii)             | Degrees of precision of is   | of Simpson's one  | thir         | d rule for nun                  | nerical integration      |   |
|    | i    | iv)              | Dual simplex method i  | s applicable if   |              |                                 |                          |   |
| 2. | A) ۱ | ۷ri              | ite short notes on the fo  | ollowing.   |              |                                 |                          | 8 |
|    |      | i)               | Gauss elimination met  | thod ii   | ) D          | ual simplex n                   | nethod                   |   |
|    | B)   |                  | f 2/3 is approximated to errors.   | o 0.667 find the a  | abso         | olute, relative                 | and percentage           | 3 |
|    | ii   | i) F<br>u        | Find a real root of the ed<br>sing bisection method  | quation cosx–1.3<br>in five stages.                         | x =          | 0 correct to fi                 | ve decimal places        | 3 |
| 3. | ,    |                  | e Newton Raphson me root of a positive numb  | •   |              |                                 | •                        | 7 |
|    |      |                  | ve the following systen<br>al solution correct to the  |   | _            |                                 | ethod to obtain the      |   |
|    | 2    | Х <sub>1</sub> - | $+x_2 + 54x_3 = 110,$  |   |              |                                 |                          |   |
|    | 2    | 27:              | $x_1 + 6x_2 - x_3 = 85,$   |   |              |                                 |                          | 7 |
|    | (    | 6x <sub>1</sub>  | $_{1}+15x_{2}+2x_{3}=72$   |   |              |                                 |                          | • |
|    |      |                  |  |   |              |                                 |                          |   |

#### **SLR-G-18**





7

7

7

7

4. A) State and prove Lagrange's Interpolation formula for unequal intervals. **7** 

B) Find the interpolating polynomial f(x) satisfying f(0) = 0, f(2) = 4, f(4) = 56, f(6) = 204, f(8) = 496, f(10) = 980 and hence find f(3), f(5) and f(7).

5. A) Use Simpson's  $1/3^{rd}$  rule with seven equidistant ordinates to evaluate  $\int_{2}^{8} \frac{dx}{\log_{10} x}$ .

B) Find f'(3), f''(7) and f'''(12) form the following data.

| х | 2  | 4  | 5   | 6   | 8   | 10   |
|---|----|----|-----|-----|-----|------|
| у | 10 | 96 | 196 | 350 | 868 | 1746 |

6. A) Use Fourth order Runge-Kutta method to solve  $\frac{dy}{dx} = 3x + \frac{y}{2}$ , y(0) = 1 at x = 0.2 by taking h = 0.2.

B) Given that  $\frac{dy}{dx} = x - y^2$  and the data

| х | 0 | 0.2  | 0.4    | 0.6    |
|---|---|------|--------|--------|
| у | 0 | 0.02 | 0.0795 | 0.1762 |

Compute y at x = 0.8 by applying Milne's method.

7. A) Use the Simplex method to Maximize Z = 2x + 4y

$$3x+y\leq 22,$$
 subject to the constraints, 
$$2x+3y\leq 24,$$
 
$$x\geq 0, y\geq 0.$$

B) Find the dual of the following LPP, solve the Dual and hence find the solution to the Primal.

$$Minimize Z = 2x_1 + 9x_2 + x_3$$

Subject to 
$$x_1 + 4x_2 + 2x_3 \ge 5$$
 
$$3x_1 + x_2 + 2x_3 \ge 4$$
 
$$x_1, x_2, x_3 \ge 0.$$

\_\_\_\_\_



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. – II (Semester – III) (Computer Science) Examination, 2015 COMPUTER COMMUNICATION NETWORK (New – CGPA)

| Day and Date : Monday, 16-11-2015<br>Time : 2.30 p.m. to 5.00 p.m.                | Max. Marks : 70                                  |
|---|--|
| Instructions: 1) Question No. 1 and 2) Attempt any 3 ques 3) Figures to the right | stions from Q. No. <b>3</b> to Q. No. <b>7</b> . |
| 1. A) Choose the correct alternative:   | 10   |
| 1) is a main problem of a   | udio and video on demand.                        |
| a) Jitter   | b) Random early detection                        |
| c) Buffering  | d) Overprovisioning                              |
| 2) In sequence of redu  | ndant bits are added at the end of data          |
| unit for detecting the errors.  |  |
| <ul><li>a) Parity check</li><li>b) CRC</li></ul>                                  | c) Hamming code d) Checksum                      |
|   | nents that are created and stored in a           |
| server.   |  |
| a) Web documents  | • •  |
| c) Static documents   | •  |
| 4) The domain is us   | ed to map an address to a name.                  |
| a) Inverse  | b) Country                                       |
| c) Generic  | d) None of the mentioned                         |
| 5) Sink tree will generate in   | routing algorithm.                               |
| a) Flooding   | b) Distance vector                               |
| c) Shortest path  | d) Optimality principle                          |
| 6) Based on the interprocessor dista<br>to larger distance?                       | nce which of the following is in smaller         |
| a) PAN, LAN, MAN, WAN   | b) LAN, PAN,MAN,WAN                              |
| c) LAN, PAN, WAN, MAN   | d) PAN, LAN, WAN, MAN                            |
| 7)is a reliable conne   | ction oriented protocol.                         |
| a) TCP  | b) IP  |
| c) UDP  | d) None of the mentioned                         |



|    |    | 8) In   | cyclic redundancy checking, wh          | nat  | is the CRC ?               |               |   |
|----|----|---------|---|------|----------------------------|---------------|---|
|    |    | a)      | The quotient                            | b)   | The dividend               |               |   |
|    |    | c)      | The divisor                             | d)   | None of the mentioned      |               |   |
|    |    | 9) Th   | ne network layer in the Internet is     | de   | signed as a                | network.      |   |
|    |    | a)      | Datagram                                | b)   | Virtual circuit            |               |   |
|    |    | c)      | Circuit switched                        | d)   | None of the mentioned      |               |   |
|    | •  | 10)     | farming method is no                    | t sı | uitable for Unicode chara  | acters.       |   |
|    |    | a)      | Character count                         | b)   | Bit stuffing               |               |   |
|    |    | c)      | Byte stuffing                           | d)   | Physical layer code vio    | olation       |   |
|    | B) | Fill in | the blanks :                            |      |                            |               | 4 |
|    | ٥, |         | otted decimal notation of 10000         | ეე1  | 10000011 00011011 1        |               | • |
|    |    | ., 5    |   |      |                            |               |   |
|    |    | 2) Si   | nk tree is generated in                 | r    | outing algorithm.          |               |   |
|    |    | •       | is a connectionless, unre               |      |                            |               |   |
|    |    |         | lass addresses were                     |      |                            |               |   |
| _  |    | •       |   |      | 0                          |               | _ |
| 2. | A) |         | short notes on :                        |      |                            |               | 8 |
|    |    | •       | ggy backing and its usefulness.         |      |                            |               |   |
|    |    | ,       | onnection Oriented services.            |      |                            |               |   |
|    | B) |         | the first address, last address, and    | lnu  | mber of addresses from     | the following | _ |
|    |    |         | ess block.                              |      |                            |               | 6 |
|    |    | •       | 05.16.37.39/28                          |      |                            |               |   |
|    |    | 2) 17   | 7.12.40.0/26                            |      |                            |               |   |
| 3. | A) | What    | is E-mail ? Which are the variou        | us t | ypes user agents ? Whi     | ch are the    |   |
|    |    | vario   | us services of user agents?             |      |                            |               | 8 |
|    | B) | Give    | the dataword 1010011110 and th          | ne c | divisor 10111,             |               |   |
|    |    | •       | now the generation of the code vision). | WC   | ord at the sender site (u  | using binary  |   |
|    |    | 2) Sł   | now the checking of the codewor         | d a  | t the receiver site (assun | ne no error). | 6 |

6

8

6

8


6

8

6



4. A) Consider the following network with the indicated link cost. Use Dijkstra's shortest-path algorithm to compute the shortest paths from A to H and J.



B) Explain the architecture of WWW.

5. A) The following is a dump of a TCP header in hexadecimal format. 05320017 00000001 00000000 5OO207FF 00000000

- a) What is the source port number?
- b) What is the destination port number?
- c) What is the sequence number?
- d) What is the acknowledgment number?
- e) What is the length of the header?
- f) What is the type of the segment?
- g) What is the window size?
- B) Explain Selective Repeat-ARQ protocol
- 6. A) Discuss IPV6 architecture and issues.
  - B) Explain Internet Architecture in detail.
- 7. A) Explain UDP format in detail. Also explain uses of UDP.

B) The following character encoding is used in a data link protocol:

A: 01000111; B: 11100011; FLAG: 01111110; ESC: 11100000

Show the bit sequence transmitted (in binary) for the four-character frame : AB ESC FLAG

When each of the following framing methods are used:

- a) Character count.
- b) Flag bytes with byte stuffing.
- c) Starting and ending flag bytes, with bit stuffing.

**SLR-G - 22** 



| Seat |  |
|------|--|
| No.  |  |

#### M.C.A. – II (Semester – III) (CGPA) Examination, 2015 COMPUTER SCIENCE (New) Java Programming

|                                 |                                   | Java Program   | ming               |       |                  |
|---------------------------------|-----------------------------------|--|--------------------|-------|------------------|
| Day and Date:<br>Time: 2.30 p.m | Wednesday, 18-<br>n. to 5.00 p.m. | 11-2015  |                    | -     | Total Marks : 70 |
| Instructi                       | 2) Attem                          | . <b>1</b> and <b>2</b> are <b>comp</b><br>ot <b>any 3</b> questions<br>es to the <b>right</b> indic | from Q. No. 3 to   | Q. N  | lo. <b>7</b> .   |
| 1. A) Select t                  | he correct altern                 | ative :  |                    |       | 10               |
| 1) Wh                           | ich of the followi                | ng is the method o   | of object class?   |       |                  |
| a)                              | toString()                        | b) notify()  | c) equals()        | d)    | All of these     |
| 2) Wh                           | ich of the followi                | ng is not predefine  | d exception?       |       |                  |
| a)                              | ArithmeticExce                    | otion  | b) PointerNullE    | хсер  | tion             |
| •                               |                                   | ndsException   | •                  | -     | n                |
| 3) The                          | e execution of thr                | ead begins from $\_$   | meth               | od.   |                  |
| ,                               | start()                           |  | c) init()          | -     | paint()          |
|                                 | layou<br>umns.                    | t manager arrange  | es the component i | n rov | ws and           |
| a)                              | FlowLayout                        | b) GridLayout  | c) CardLayout      | d)    | None             |
| 5) Wh                           | ich of the followi                | ng method is not d   | lefined by the App | let c | lass?            |
| a)                              | init()                            | b) start()   | c) update()        | d)    | None of these    |
| 6) A n                          | ew thread can be                  | e created by extend  | ding the           |       | class.           |
| a)                              | Runnable                          |  | b) Thread          |       |                  |
| •                               | Both a) and b)                    |  | d) None of thes    |       |                  |
|                                 |                                   | package is in  |                    |       |                  |
| •                               | _                                 | b) java.default  |                    | d)    | java.util.       |
| ŕ                               |                                   | e used for   |                    |       |                  |
| •                               | _                                 | data type to anoth   | er                 |       |                  |
| •                               | •                                 | class to another   |                    |       |                  |
|                                 |                                   | nitive values to obj   | ects               |       |                  |
| d)                              | None of these                     |  |                    |       |                  |

SLR-G – 22

|    |    | 9)   | Ent          | ering text in the                | etext    | field throws   |            | eve             | nt.     |              |   |
|----|----|------|--------------|----------------------------------|----------|----------------|------------|-----------------|---------|--------------|---|
|    |    |      | a)           | ActionEvent                      | b)       | KeyEvent       | c)         | KeyTyped        | d)      | All of these |   |
|    |    | 10)  |              | ect which cause                  |          |                | ctionEv    | ent class is    | used    | to get the   |   |
|    |    |      | -            | getActionCom                     |          |                | b)         | getObject()     |         |              |   |
|    |    |      | -            | getSource()                      |          | v              | d)         | None of the     | ese     |              |   |
|    | B) | Sta  | te <b>tr</b> | ue or false :                    |          |                |            |                 |         |              | 4 |
|    |    | 1)   | An           | interface can e                  | xtend    | d another int  | erface.    |                 |         |              |   |
|    |    | 2)   | One          | e try block can                  | have     | multiple ca    | tch stat   | ement.          |         |              |   |
|    |    | 3)   | App          | olet can call init               | met      | hod multiple   | times      | during its life | e cycl  | e.           |   |
|    |    | 4)   | My:          | SQL connector                    | is a     | type-II drive  | r.         |                 |         |              |   |
| 2. | A) | Wri  | te no        | otes on :                        |          |                |            |                 |         |              | 8 |
|    |    | i)   | Stri         | ngTokenizer                      |          |                |            |                 |         |              |   |
|    |    | ii)  | Res          | sultset interface                | €.       |                |            |                 |         |              |   |
|    | B) | Atte | empt         | t the following:                 |          |                |            |                 |         |              | 6 |
|    |    | i)   | Wh           | at is abstract c                 | lass     | ? State its p  | roperti    | es.             |         |              |   |
|    |    | ii)  | Exp          | olain the inner o                | class    | es in Java.    |            |                 |         |              |   |
| 3. | A) | Exp  | lain         | steps in creation                | on an    | d implemen     | tation o   | f package w     | ith ex  | ample.       | 7 |
|    | B) | Wh   | at is        | synchronizatio                   | n?E      | Explain with   | exampl     | e.              |         |              | 7 |
| 4. | A) | Exp  | lain         | parameter pas                    | sing     | in applet wit  | h exam     | ple.            |         |              | 7 |
|    | B) | Exp  | olain        | inter-thread co                  | mmı      | ınication with | n exam     | ple.            |         |              | 7 |
| 5. | A) | Exp  | olain        | different types                  | of d     | rivers in jdbo | <b>)</b> . |                 |         |              | 7 |
|    | B) |      |              | program to cop                   | •        |                | e text f   | ile to anothe   | r text  | file         | 7 |
|    |    | usii | ig cc        | ommand line ar                   | gum      | enis.          |            |                 |         |              | 7 |
| 6. | A) |      |              | difference betw<br>with example. | veen     | statement a    | ınd Prep   | oaredStaten     | nent ii | nterface?    | 7 |
|    | B) | Wh   | at is        | persistence?                     | Expla    | ain with exar  | mple.      |                 |         |              | 7 |
| 7. | A) | Wh   | at is        | event delegati                   | on m     | odel ? Expla   | in sour    | ces and liste   | eners   |              | 7 |
|    | B) | Cre  | ate          | a windows app                    | lication | on to insert a | and disp   | olay student    | inforr  | nation.      | 7 |
|    |    |      |              |                                  |          |                |            |                 |         |              |   |

**SLR-G - 23** 



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. - II (Semester - III) Examination, 2015 COMPUTER SCIENCE (New) (CGPA) System Software

| Day and Date : F<br>Time : 2.30 p.m | Friday, 20-11-2015<br>. to 5.00 p.m. |   | Max. Marks : 70     |
|-------------------------------------|--------------------------------------|---|---------------------|
| Instructio                          | 2) Attempt any ti                    | ber <b>1</b> and <b>2</b> are <b>compulsory</b> .<br><b>hree</b> questions from Q. No. <b>3</b> t<br>h <b>t</b> indicate <b>full</b> marks. | to Q. No. <b>7.</b> |
| 1. A) Choose                        | the correct alternative :            |   | 10                  |
| 1) Wha                              | at are the activities of pa          | uss-I of multi-pass assembler '   | ?                   |
| a)                                  | Assign addresses to all              | the statements  |                     |
| b)                                  | Saves addresses assig                | ned to be used in Pass-2  |                     |
| c)                                  | Defines the symbols in               | the symbol table  |                     |
| d)                                  | All of these                         |   |                     |
| 2) Whi                              | ch of the following state            | ment is not used in an assemb   | oly program ?       |
| a)                                  | Interactive                          | b) Imperative   |                     |
| c)                                  | Directive                            | d) Declarative  |                     |
| 3) Cod                              | le generation is perform             | ed in which part of compilation   | process.            |
| a)                                  | Analysis phase                       | b) Synthesis phas   | se .                |
| c)                                  | Both a) and b)                       | d) None of these  |                     |
| 4) Trar                             | nslator used in low level            | programming language is kno   | wn as               |
| a)                                  | Compiler                             | b) Interpreter  |                     |
| c)                                  | Assembler                            | d) Linker   |                     |
| 5) The                              | expansion of nested ma               | acro calls follows  |                     |
| a)                                  | FIFO rule                            | b) FCFS rule  |                     |
| c)                                  | LIFO rule                            | d) All of these   |                     |

| <b>R-G</b> | <b>i</b> — : | 23   | -2-  |                                     |   |  |
|------------|--------------|--|--|-------------------------------------|---|--|
|            | 6)           | In a   | two-pass assembler, the task of th           | ne Pass II is to                    |   |  |
|            |              | a)   | Separates the symbols, mnemonic              | s, operands                         |   |  |
|            |              | b)   | Build the symbol table                       |                                     |   |  |
|            |              | c)   | Construct intermediate code                  |                                     |   |  |
|            |              | d)   | Synthesize the target program                |                                     |   |  |
|            | 7)           | Rel  | ocatable programs                            |                                     |   |  |
|            |              | a)   | Cannot be used with fixed partition          | S                                   |   |  |
|            |              | b)   | Can be loaded almost anywhere in             | memory                              |   |  |
|            |              | c)   | Do not need a linker                         |                                     |   |  |
|            |              | d)   | Can be loaded only at one specific           | location                            |   |  |
|            | 8)           | Wh   | ich of the following are language pro        | ocessors?                           |   |  |
|            |              | a)   | Compiler                                     | b) Assembler                        |   |  |
|            |              | c)   | Interpreter                                  | d) All of these                     |   |  |
|            | 9)           | Jav  | a compiler follows which of the follo        | wing compiler design option.        |   |  |
|            |              | a)   | Interpreter                                  | b) Compiler-compiler                |   |  |
|            |              | c)   | P-code                                       | d) All of these                     |   |  |
|            | 10)          | Ma   | cro assembler can perform                    |                                     |   |  |
|            |              | a)   | Translation                                  | b) Macro-expansion                  |   |  |
|            |              | c)   | Both a) and b)                               | d) None of these                    |   |  |
| B)         | Sta          | te <b>tr</b>   | ue or false :                                |                                     | 4 |  |
|            | 1)           | Updating the location counter is performed in second pass. |  |                                     |   |  |
|            | 2)           |  | en storage space has to be minimize ompiler? | ed an interpreter is preferred over |   |  |
|            | 3)           | The  | e output of the lexical analyzer is str      | ing of characters.                  |   |  |
|            | 4)           | Syr  | thesis phase of the compiler does            | syntax analysis.                    |   |  |
| A)         | Wri          | te sł  | nort notes on :                              |                                     | 8 |  |
|            | ۵)           | <b>V</b> Δ(  | $\sim$                                       |                                     |   |  |

2. A)

8

- a) YACC
- b) Absolute loader
- c) Pentium Pro architecture.
- B) Differentiate CISC and RISC computers.

|    |     | <b>I</b> ∭ <b>∭</b> ∭∭∭∭ -3-   | SLR-G – 23 |
|----|-----|--|------------|
| 3. | Ans | swer the following :   | 14         |
|    | A)  | Define and explain data structure used in Assembler.                           |            |
|    | B)  | Explain different types Assembler in detail.                                   |            |
| 4. | Ans | swer the following :   | 14         |
|    | A)  | What is loader and linker? Explain various loader design options.              |            |
|    | B)  | What is lexical analysis? Explain various tasks performed by scan              | ner.       |
| 5. | Ans | swer the following :   | 14         |
|    | A)  | What is macro preprocessing? Design algorithm for one pass macro preprocessor. | ro         |
|    | B)  | Explain the following:   |            |
|    |     | I) Macro assembler   |            |
|    |     | II) Nested macros.   |            |
| 6. |     | swer the following:  | 14         |
|    | A)  | Explain various phases of compilation process.                                 |            |
|    | B)  | Explain p-code compilers. Find out its advantages and disadvantage             | es.        |
| 7. | Ans | swer the following:  | 14         |
|    | A)  | What is system software? Differentiate system software with appli software.    | ication    |
|    | B)  | Explain different statements types of assembly language.                       |            |
|    |     |  |            |
|    |     |  |            |

| Seat |  |
|------|--|
| Seat |  |
| No   |  |

| M.C.A. – II (Semester – III) Examination, 2015  COMPUTER SCIENCE  DBMS (New CGPA)                                     |  |  |  |  |  |
|---|--|--|--|--|--|
| Total Marks : 70  |  |  |  |  |  |
| nd <b>2</b> are <b>compulsory</b> .<br>Jestions from Q. No. <b>3</b> to Q. No. <b>7</b> .<br>Jht indicate full marks. |  |  |  |  |  |
| 10  |  |  |  |  |  |
| erences between entities by identifying vn as   |  |  |  |  |  |
| b) Generalization   |  |  |  |  |  |
| d) None of these  |  |  |  |  |  |
|   |  |  |  |  |  |
| b) Known  |  |  |  |  |  |
| d) None of these  |  |  |  |  |  |
| from existing tables known as   |  |  |  |  |  |
| b) Views  |  |  |  |  |  |
| d) Relation   |  |  |  |  |  |
|   |  |  |  |  |  |
| b) Irreversible   |  |  |  |  |  |
| d) Recursive  |  |  |  |  |  |
|   |  |  |  |  |  |
| c) Tuples d) Attributes   |  |  |  |  |  |
| all made together on database called  |  |  |  |  |  |
| b) Immediate update   |  |  |  |  |  |
| d) None of these  |  |  |  |  |  |
|   |  |  |  |  |  |

**SLR-G - 24** 



|    | vii)   | Shadow paging i             | s used for          |                       |                  |   |
|----|--------|-----------------------------|---------------------|-----------------------|------------------|---|
|    |        | a) Writing same             | e item at same lo   | cation                |                  |   |
|    |        | b) Writing same             | e item at differen  | t locations           |                  |   |
|    |        | c) Creating sha             | dows                |                       |                  |   |
|    |        | d) Writing differ           | ent items at diffe  | erent locations       |                  |   |
|    | viii)  | BLOB stands for             |                     |                       |                  |   |
|    |        | a) Binary Large             | Object Base         | b) Binary List Ob     | oject            |   |
|    |        | c) Binary List O            | bject Base          | d) Binary Large       | Object           |   |
|    | ix)    | A phase during v            | vhich all locks are | e released is         |                  |   |
|    |        | a) Growing Pha              | se                  | b) Shrinking Pha      | se               |   |
|    |        | c) Aborted Phas             | se                  | d) Committed Ph       | nase             |   |
|    | x)     | What is the card            | inality of table wi | th 50 rows and 5 c    | columns ?        |   |
|    |        | a) 50                       | b) 5                | c) 250                | d) None of these |   |
|    | B) Sta | ate whether <b>true/f</b>   | alse.               |                       |                  | 4 |
|    | i)     | CREATE and DF               | ROP are DDL cor     | nmands.               |                  |   |
|    | ii)    | Every view seria            | lizable schedule    | is conflict serializa | able too.        |   |
|    | iii)   | Every table mus             | t have at least or  | ne primary key or f   | oreign key.      |   |
|    | iv)    | 4 <sup>th</sup> Normal form | removes multi-va    | alued dependency      |                  |   |
| 2. | A) Wr  | ite a short note or         | n following.        |                       |                  | 8 |
|    | i)     | Limitations of file         | e processing sys    | tem.                  |                  |   |
|    | ii)    | Types of distribu           | ted databases.      |                       |                  |   |
|    | B) An  | swer the following          | J.                  |                       |                  | 6 |
|    | i)     | What are the adv            | antages of optin    | nization in query p   | rocessing?       |   |
|    | ii)    | Describe the che            | eckpoint techniau   | ue for recovery.      |                  |   |
|    | ,      |                             |                     | ,                     |                  |   |



| 3. | Answer the following.  |   |
|----|--|---|
|    | A) Explain the life cycle of database system development in detail.  | 7 |
|    | B) An insurance agent sells insurance policies to clients. Policies can be of different types such as vehicle insurance, life insurance, Accident insurance etc. The agent collects monthly premiums on the policies in the form of cheques of local banks. Draw an ER diagram for above system with extended ER notations if necessary. | 7 |
| 4. | Answer the following.  |   |
|    | A) What is functional dependency? Explain its types in detail with example.  | 7 |
|    | B) What is relational calculus? Explain its types with example of each.  | 7 |
| 5. | Answer the following.  |   |
|    | A) What is query processing? Explain the steps involved in it.   | 7 |
|    | B) Explain the concept of varying array. Describe how to insert data in varying array and how to retrieve from it.   | 7 |
| 6. | Answer the following.  |   |
|    | A) Explain conflict serializability and view serializability with example.   | 7 |
|    | B) Discuss about differed database updates and immediate database updates with example of each.  | 7 |
| 7. | Answer the following.  |   |
|    | A) What is relational algebra? Explain following operations of relational Algebra with example: select, project, cross product, union and division.  | 7 |
|    | B) Explain data models and its types in detail.  | 7 |
|    |  |   |

**SLR-G - 25** 

| Seat |  |
|------|--|
| No.  |  |

## M.C.A. - II (Semester - III) (CGPA) (New) Examination, 2015

|             | •   | COMPUT   | TER SC                                | IENCE                                   | ,   |        |
|-------------|---|--|---------------------------------------|---|---|--------|
|             |   | Computer O   | riented                               | Statistics                              |   |        |
| Day and Da  | ate : Thursday  | , 26-11-2015   |                                       |   | Marks   | s : 70 |
| Time : 2.30 | p.m. to 5.00 p  | o.m.   |                                       |   |   |        |
| In          | i   | i) Question No<br>ii) Attempt <b>any</b><br>ii) Figures to th<br>v) <b>Use</b> of simpl      | <b>three</b> que<br>e <b>right</b> in | estions from (<br>dicate <b>full</b> ma | Q. No. <b>3</b> to Q. No. <b>7</b> .<br>arks. |        |
| 1. A) Sel   | ect most corre  | ct alternative.  |                                       |   |   | 10     |
| i)          | The number of   | of observations  | belonging                             | g to a class is                         | called  |        |
|             | a) class-freq   | uency  | b) c                                  | umulative-free                          | quency  |        |
|             | c) class widt   | h  | d) n                                  | one of these                            |   |        |
| ii)         | is a  | a measure of ce  | ntral tend                            | ency.                                   |   |        |
|             | a) Standard   | deviation  | b) A                                  | rithmetic mea                           | เท  |        |
|             | c) Coefficien   | t of variation   | d) N                                  | lone of these                           |   |        |
| iii)        | For a symme   | tric distribution  |                                       |   |   |        |
|             | a) mean <me< td=""><td>dian<mode< td=""><td>b) m</td><td>nean&gt;median&gt;</td><td>&gt;mode</td><td></td></mode<></td></me<> | dian <mode< td=""><td>b) m</td><td>nean&gt;median&gt;</td><td>&gt;mode</td><td></td></mode<> | b) m                                  | nean>median>                            | >mode   |        |
|             | c) median <m< td=""><td>ean<mode< td=""><td>d) n</td><td>one of these</td><td></td><td></td></mode<></td></m<>                | ean <mode< td=""><td>d) n</td><td>one of these</td><td></td><td></td></mode<>                | d) n                                  | one of these                            |   |        |
| iv)         | If A and B are  | e mutually exclu   | sive ever                             | nts then P(A a                          | ∩ B) =  |        |
|             | a) 1  | b) 0.5   | c) 0                                  |   | d) none of these                              |        |
| v)          | For a binomia   | al distribution  |                                       |   |   |        |
|             | a) Mean < Va  | ariance  | b) M                                  | 1ean > Varian                           | ce  |        |
|             | c) Mean = Va  | ariance  | d) B                                  | oth a) and c)                           |   |        |
| vi)         |   | random variab<br>0. 1, 0.5 and 0.4   |                                       |   | values 0, 1, 3 with<br>mean of X is           | 1      |
|             | a) 1  | b) 1.5   | c) 1                                  | _                                       | d) 1.33                                       |        |
| vii)        | •   | exponential distr  | ,                                     |   | •   |        |
| -/          | a) 100  | b) 10  | c) 1                                  | ,                                       | d) 0.01                                       |        |



4

4

- viii) Regression analysis is concerned with

  a) Establishing a mathematical relationship between two variables
  b) Measuring the extent of association between two variables
  - c) Predicting the value of the dependent variable for a given value of the independent variable
  - d) Both a) and c)
  - ix) If the correlation between the two variables X and Y is positive, the regression coefficient of Y on X is
    - a) zero b) positive c) negative d) not certain
  - x) If the value of coefficient of Kurtosis  $\beta_2$  is three, then the frequency distribution curve is said to be
    - a) Leptokurtic b) Platykurtic
    - c) Mesokurtic d) None of these
- B) Fill in the blanks.

  i) If P(B) = 0.4 and  $P(A \cap B) = 0.2$  then P(A/B) is \_\_\_\_\_\_.
  - ii) If the profits of a company remains the same for the last ten months, then the standard deviation of profits for these ten months would be \_\_\_\_\_\_.
  - iii) If the mean and standard deviation of a distribution are 100 and 16 respectively, then the coefficient of variation of the distribution is \_\_\_\_\_\_.
  - iv) An unbiased coin is tossed three times. The probability of getting exactly three heads is \_\_\_\_\_.
- 2. A) i) What do you mean by dispersion? State the types of measures of dispersion.
  - ii) For a group of 10 items if mean is 43.7, S.D. is 20 and mode = 45.2 then find the coefficient of skewness and interpret the result.
  - B) i) State addition theorem of probability.
    - ii) If the probability mass function of a r.v.X is:

$$P(X = x) = \frac{x^2}{14}, X = 0, 1, 2, 3 \text{ then find } P(X + 0.4 > 1.4)$$

7

7

7

7

7

7

7



| 3. | A) A bag contains 4 red and 8 green balls | . Two | balls | are | drawn | one | by | one |
|----|---|-------|-------|-----|-------|-----|----|-----|
|    | without replacement from the bag.         |       |       |     |       |     |    |     |

Find the probability of drawing

- i) both green balls
- ii) second red ball.

B) The probability that a student is accepted to a prestigious college is 0.3. If 5 students from the same school apply, what is the probability that at most 2 are accepted?

4. A) Calculate coefficient of variation for the following data.

Classes : 10 – 15 15 – 20 20 – 25 25 – 30 30 – 35 35 – 40 Frequencies: 10 15 20 30 20 15

B) Define normal distribution and state its important properties.

5. A) Give the procedure of generating random observations from uniform distribution over (10, 100).

B) If a r.v.X follows Poisson distribution with mean 2, find  $P(X \le 3)$ .

6. A) Fit an exponential curve of the form  $Y = aX^b$  to the following data:

**X**: 1 2 3 4 5 6

**Y** : 10 12.31 13.9 15.16 16.21 17.11

Estimate Y when X = 3.5.

B) What is a Kurtosis? Explain their types.

7. A) From a bivariate distribution a sample of 40 gives following values.

$$\sum X = 628 \sum Y = 550 \sum X^2 = 40376 \sum Y^2 = 30812 \sum XY = 33969$$

Find a line of regression of Y on X.

B) Define exponential distribution. If life time of a certain kind of electric unit follows an exponential distribution with mean life time 500 hours, find the probability that the life time of the electric unit is at least 400 hours.

**SLR-G – 26** 



| Seat |  |
|------|--|
| No.  |  |

#### M.C.A. – II (Semester – III) Examination, 2015 COMPUTER SCIENCE (Old - CGPA) **Computer Communication Network**

Marks: 70 Day and Date: Monday, 16-11-2015 Time: 2.30 p.m. to 5.00 p.m. **Instructions**: 1) Question No. 1 and 2 are compulsory. 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7. 3) Figures to the **right** indicate **full** marks. 1. A) Choose correct alternatives: 10 1) Computer Network is A) Collection of Hardware component and computers B) Interconnected by communication class C) Sharing resource and information D) All of the above 2) What is a firewall in computer network? A) The physical boundary of Network B) An operating system of computer network C) A system designed to prevent the authorized access D) A web browsing software 3) How many layers does OSI reference model have? A) 4 B) 5 C) 6 D) 7 4) DHCP is the abbreviation of A) Dynamic Host Control Protocol B) Dynamic Host Configuration Protocol C) Dynamic Hyper Control Protocol D) Dynamic Configuration Protocol

4) In \_\_\_\_\_ topology, if a computer's network cable is broken, whole

network goes down.

2. A) Write a note on:


8

6

7

7

- i) Distance vector routing algorithm.
- ii) Remote procedure call.
- B) For the network structure given using Dijkstra's algorithm find the shortest path from node A to node D show all steps



- 3. A) What are the different congestion prevention policies? Explain them.
  - B) List the IEEE standards for LANs and their brief specifications.
- 4. A) Discuss resource reservation protocol. 7
  - B) What is the FDDI? Explain token ring protocols.
- 5. A) Why the protocol requirements are very essential in case of information security applications? Discuss any two situations.
  - B) Define authentication. What are the methods of Authentication? Explain any one of them briefly.
- 6. A) Explain RSA public key cryptosystem with an example. **7** 
  - B) Discuss Simple Mail Transfer Protocol. 7
- 7. A) How do HTTP server and CGI script communicates?
  - B) Explain terms RPC, fundamental cryptographic principles.

**SLR-G – 27** 

| Seat |  |
|------|--|
| No.  |  |

#### M.C.A. – II (Semester – III) (Computer Science) Examination, 2015 (Old - CGPA) JAVA PROGRAMMING

Day and Date: Wednesday, 18-11-2015 Total Marks: 70

Time: 2.30 p.m. to 5.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Choose correct alternatives:

1) Which is a not characteristic of Java programming language?

a) Robust

b) Procedural

c) Distributed

d) Multithreaded

2) Which will legally declare, construct and initialize an array?

- a) int [] myList = {"1", "2", "3"};
- b) int [] myList = (5, 8, 2);
- c) int myList  $[][] = \{4, 9, 7, 0\};$  d) int myList  $[] = \{4, 3, 7\};$

3) What is the numerical range of char?

a) -128 to 127

b) -(215) to (215) - 1

c) 0 to 32767

d) 0 to 65535

4) What does the following line of code mean?

double table [];

- a) table is a variable to refers to a real number
- b) table is a variable that refers to two numbers
- c) it is not legal Java code
- d) table is a variable that refers to an array



5) Given the following piece of code: class MyThread extends Thread { public String text; public void run ( ) { System.out.print(text); } } public class Test { public static void main (String args []) { MyThread t1 = new MyThread (); t1.text = "one"; MyThread t2 = new MyThread (); t2.text = "two"; t1.start(); t2.start(); System.out.print("three"); } } Which of the following statements is true? a) If you execute this program, the result is always one two three. b) If you execute this program, the result is always three one two. c) The result of this program is undetermined. d) Compilation will fail. method of Applet is called whenever execution of applet needs to be suspended. a) paint() c) stop() b) start() d) init() \_ class is used to encapsulate a primitive type value in an 7) object. a) Wrapper c) char d) None of these b) int 8) A new thread can be created by implementing interface \_\_\_\_\_ a) Thread b) Runnable c) Scrollbar d) ActionListener



|    | 1       | the array whose ind  a) NumberFormatE  b) ArithmeticExcep  c) ArrayIndexOutC  d) None of these | dex is out of bou<br>Exception<br>otion |                                  | ess an element in  |   |
|----|---------|--|---|----------------------------------|--------------------|---|
|    | •       |  |   | stores related class<br>c) Frame |                    |   |
|    | B) Stat | te whether <b>true</b> or <b>f</b>   | alse:                                   |                                  |                    | 4 |
|    | 1) l    | n Java, garbage co   | llection is perfo                       | rmed automatically               |                    |   |
|    | 2) A    | A static method can  | nnot refer to key                       | words this or supe               | r.                 |   |
|    | 3) A    | A final method can b   | oe overridden.                          |                                  |                    |   |
|    | 4) A    | Abstract class cann  | ot be inherited                         | by another class.                |                    |   |
| 2. | A) Writ | e short notes on th  | e following :                           |                                  |                    | 8 |
|    | i) C    | Overloading method   | ds                                      |                                  |                    |   |
|    | ii) '   | Super' keyword.  |   |                                  |                    |   |
|    | B) Ans  | wer the following:   |   |                                  |                    | 6 |
|    | i) [    | Describe between s   | suspend() and s                         | sleep() method with              | respect to thread. |   |
|    | ii) S   | State various featur   | res of Java.                            |                                  |                    |   |
| 3. | Answei  | r the following :  |   |                                  |                    |   |
|    | A) With | n suitable example   | explain how to d                        | create a menu and l              | now to handle the  |   |
|    | evei    | nts generated by m   | enu and menuit                          | ems.                             |                    | 8 |
|    | B) Des  | cribe various types  | s of selection sta                      | atements in Java.                |                    | 6 |
| 4. | Answei  | r the following :  |   |                                  |                    |   |
|    | •       | cribe how combo-b<br>eckbox is handled.  | •                                       | ame. Explain how e               | event generated by | 6 |
|    | B) Stat | e the purpose of th  | e following JDB                         | C classes and inte               | rface :            | 8 |
|    | i) [    | Driver Manager   | ii) Connection                          | า                                |                    |   |
|    | iii) S  | Statement  | iv) Result set                          |                                  |                    |   |
|    |         |  |   |                                  |                    |   |



### 5. Answer the following:

A) State features of GridLayout and explain how to implement it.

6

B) Write a program to define a class Test containing data members sub1, sub 2. Write a method to add marks of sub1 and sub 2 and display it.

8

### 6. Answer the following:

A) Describe with suitable example, how the class FileReader is used for reading from a file.

6

B) Write a program using 'while' statement to compute the sum of the first N terms in the following series.

8

$$-1+2-3+4-...$$

### 7. Answer the following:

A) Explain with suitable example how to create a new thread using the class Thread.

6

B) With suitable example explain how to use a try-catch- finally framework to avoid the crashing of a program.

8

| Seat |  |
|------|--|
| No.  |  |

### M.C.A. – II (Semester – III) (Computer Science) Examination, 2015 (Old – CGPA) SOFTWARE ENGINEERING

Day and Date: Friday, 20-11-2015 Max. Marks: 70

Time: 2.30 p.m. to 5.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q.No. 3 to Q.No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Choose the correct alternatives.

10

- 1) The reason for software bugs and failures is due to
  - A) Software Companies
- B) Software Developers

C) Both a and b

- D) Non Software Developers
- 2) What is a Software?
  - A) Software is set of programs
  - B) Software is documentation and configuration of data
  - C) Both a and b
  - D) None of the mentioned
- 3) Which of these software engineering activities are not a part of software processes?
  - A) Software dependence
- B) Software development
- C) Software validation
- D) Software specification
- 4) The fundamental notions of software engineering does not account for
  - A) Software Processes
- B) Software Security
- C) Software Reuse
- D) Software Validation
- 5) What is the major drawback of using RAD Model?
  - A) Highly specialized and skilled developers/designers are required
  - B) Increases re-usability of components
  - C) Encourages customer/client feedback
  - D) Both A and C

2. A)



| 6)    | The Incremental Model is a res two models?                     | ult of combination of elements of which                       |   |
|-------|--|---|---|
|       | A) Build and FIX Model and Wat                                 | erfall Model  |   |
|       | B) Linear Model and RAD Mode                                   | I   |   |
|       | C) Linear Model and Prototyping                                | y Model   |   |
|       | D) Waterfall Model and RAD Mo                                  | del   |   |
| 7)    | Which model in system modellin system?                         | ng depicts the dynamic behaviour of the                       |   |
|       | A) Context Model   | B) Behavioral Model   |   |
|       | C) Data Model  | D) Object Model   |   |
| 8)    | Which perspective in system architecture?                      | modelling shows the system or data                            |   |
|       | A) Structural perspective                                      | B) Behavioral perspective                                     |   |
|       | C) External perspective  | D) None   |   |
| 9)    | Which of the following diagram Data-driven modeling?           | is not supported by UML considering                           |   |
|       | A) Activity  | B) Data Flow Diagram (DFD)                                    |   |
|       | C) State Chart   | D) Component  |   |
| 10)   | Which of the following is not a d                              | irect measure of SE process?                                  |   |
|       | A) Efficiency  | B) Cost   |   |
|       | C) Effort Applied  | D) All of the mentioned                                       |   |
| B) St | ate <b>True/False</b> .  |   | 4 |
| 1)    | Company has latest computers we shouldn't worry about the qu   | and state-of-the-art software tools, so ality of the product. |   |
| 2)    | Spiral Model has user involvement                              | ent in all its phases.  |   |
| 3)    | Tests are automated in Extreme                                 | Programming.  |   |
| 4)    | Throughout the OOD process, a opportunity for creating new des | software engineer should look for every ign process.          |   |
| A) Wr | ite a short note on the following.                             |   | 8 |
| 1)    | Project Team Skills and Roles.                                 |   |   |
| 2)    | Categories of Analysts.  |   |   |



|    | B) Answer the following.  | 6        |
|----|---|----------|
|    | 1) Explain the Two Planning Steps of planning phase.  |          |
|    | 2) Explain the Three Analysis Steps of Analysis phase.  |          |
| 3. | Answer the following.   | 14       |
|    | A) Explain the evolution of software.   |          |
|    | B) What are the causes for software crises? Explain.  |          |
| 4. | Answer the following.   | 14       |
|    | <ul> <li>A) Discuss the different types of the requirements that are needed during the<br/>system design.</li> </ul>                | <b>)</b> |
|    | B) Define DFD. Draw the DFD for a Banking system.   |          |
| 5. | Answer the following.   | 14       |
|    | <ul> <li>A) Identifying the factors that affect the quality and classify them in categories<br/>of "Responsibility".</li> </ul>     | 3        |
|    | B) What is object oriented systems development methodology? Compare and contrast with structured design and object oriented design. | t        |
| 6. | Answer the following.   | 14       |
|    | A) What is software testing? Explain its objectives.  |          |
|    | B) Describe the white-box testing method and explain how it differs from black box testing method.                                  | -        |
| 7. | Answer the following.   | 14       |
|    | A) What is object oriented analysis (OOA)? Explain.   |          |
|    | B) Discuss the Bouch's OOA with a suitable example.   |          |
|    |   |          |
|    |   |          |

| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – II (Semester – III) (Computer Science) Examination, 2015 (Old – CGPA) DBMS

| Day and Date : Monday, 23-11-2015<br>Time : 2.30 p.m. to 5.00 p.m.                         | Total Marks : 70                              |
|--|---|
| Instructions: 1) Question No. 1 and 2 2) Attempt any 3 question 3) Figures to the right in | ons from Q. No. <b>3</b> to Q. No. <b>7</b> . |
| 1. A) Choose the correct alternatives :  | 10  |
| 1) In an Entity Relationship Diagram "El   | llipses" represents                           |
| a) Attributes  | b) Weak entity set                            |
| c) Relationship sets   | d) Multivalued attributes                     |
| 2) Disadvantages of File systems to sto  | re data is                                    |
| a) Data redundancy and inconsister   | ncy   |
| b) Difficulty in accessing data  |   |
| c) Data isolation  |   |
| d) All of the above  |   |
| 3) A Relation is a   |   |
| <ul> <li>a) Subset of a Cartesian product of</li> </ul>                                    | a list of attributes                          |
| b) Subset of a Cartesian product of  | a list of domains                             |
| c) Subset of a Cartesian product of  | a list of tuple                               |
| d) Subset of a Cartesian product of  | a list of relations                           |
| 4) Which of the following terms does refe<br>of the data in a database?                    | r to the correctness and completeness         |
| a) Data security   | b) Data constraint                            |
| c) Data independence   | d) Data integrity                             |



| 5)  | Which SQL Query is use to remove a to    | able and all its data from the database? |
|-----|--|--|
|     | a) Create Table                          | b) Alter Table                           |
|     | c) Drop Table                            | d) None of these                         |
| 6)  | A functional dependency between tw       | vo or more nonkey attributes is called   |
|     |  |  |
|     | a) Transitive dependency                 |  |
|     | b) Partial transitive dependency         |  |
|     | c) Functional dependency                 |  |
|     | d) Partial functional dependency         |  |
| 7)  | Cartesian product in relational algebra  | ra is                                    |
|     | a) A Unary operator                      |  |
|     | b) A Binary operator                     |  |
|     | c) A Ternary operator                    |  |
|     | d) Not defined                           |  |
| 8)  | An entity set that does not have suff    | icient attributes to form a primary      |
|     | key is a                                 |  |
|     | a) Strong entity set                     | b) Weak entity set                       |
|     | c) Simple entity set                     | d) Primary entity set                    |
| 9)  | In order to undo the work of transaction | on after last commit which one should    |
|     | be used?                                 |  |
|     | a) View                                  | b) Commit                                |
|     | c) Rollback                              | d) Flashback                             |
| 10) | Which of the following is the process    | of selecting the data storage and data   |
|     | access characteristics of the databa     | se?                                      |
|     | a) Logical database design               |  |
|     | b) Physical database design              |  |
|     | c) Testing and performance tuning        |  |
|     | d) Evaluation and selecting              |  |



- 1) A database trigger is a code or programs that automatically execute with response to some event on a table or view in a database.
- Data Integrity defines the accuracy and consistency of data stored in a database.
- 3) MINUS operator is used to combine the results of two tables, and it eliminates duplicate rows from the tables.
- 4) Key to represent relationship between tables is called primary key.

#### 2. A) Write short notes on the following:

8

- i) View
- ii) Equi join.
- B) Answer the following:

6

- i) What are the responsibilities of a DBA?
- ii) Explain the terms briefly: attribute, domain, entity.

#### 3. Answer the following:

a) Draw and explain the three level architecture of the database system:

7

b) A company database needs to store information about employees (identified by ssn, with salary and phone as attributes), departments (identified by dno, with dname and budget as attributes), and children of employees (with name and age as attributes). Employees work in departments; each department is managed by an employee; a child must be identified uniquely by name when the parent (who is an employee; assume that only one parent works for the company) is known. We are not interested in information about a child once the parent leaves the company. Draw an ER diagram that captures this information.

8

6

8

7

7

### 4. Answer the following:

a) Consider the following relations:

Student(snum: integer, sname: string, major: string, level: string, age: integer)

Class(name: string, meets at: string, room: string, fid: integer)

Enrolled(snum: integer, cname: string)

Faculty(fid: integer, fname: string, deptid: integer)

The meaning of these relations is straight forward; for example,

Enrolled has one record per student-class pair such that the student is enrolled in the class. Write the following queries in SQL. No duplicates should be printed in any of the answers.

- i) Find the names of all Juniors(level = JR) who are enrolled in a class taught by 'John' Teacher.
- ii) Find the names of all classes that meet in room R128.
- b) Define the terms:

atomicity, consistency, isolation, durability.

#### 5. Answer the following:

- a) Consider a database with objects X and Y and assume that there are two transactions T1 and T2. Transaction T1 reads objects X and Y and then writes object X. Transaction T2 reads objects X and Y and then writes objects X and Y. Give an example schedule with actions of transactions T1 and T2 on objects X and Y that results in a write-read conflict.
- b) Describe 2NF with suitable example.
- 6. Answer the following:
  - a) Discuss the concurrency control mechanism in detail using suitable example. 7
  - b) Explain the architecture of Client-Server databases in detail.

7. Answer the following:

- a) Discuss the concept of Query Processing. What is a parser? Why it is used? 7
- b) Explain Abstract Data Types and nested tables.

\_\_\_\_

**SLR-G - 30** 

| Seat |  |
|------|--|
| No.  |  |

| IVI.C.P  | COMP                                       | Old CGI)<br>Old CGI)<br>UTER ORIENTI   | PA)  | )                    | ·  |    |
|----------|--|--|------|----------------------|--|----|
| •        | ate : Thursday, 26-<br>) p.m. to 5.00 p.m. | 11-2015  |      |                      | Total Marks : 7                          | 70 |
| Inst     | -  | estion No. <b>1</b> and <b>2</b> ampt <b>any 3</b> question<br>Ires to the <b>right</b> in | ns   | from Q. No. <b>3</b> |  |    |
| 1. A) Ch | oose correct altern                        | atives :   |      |                      | 1  | 10 |
| 1)       | The observation w                          | hich occurs most   | fre  | quently in a sa      | mple is the                              |    |
|          | a) Median                                  |  | b)   | Mean deviation       | on                                       |    |
|          | c) Standard devia                          | tion   | d)   | Mode                 |  |    |
| 2)       | Find the range of t                        | he group of numb   | ers  | -10, -8, 1, 11       | , 19.                                    |    |
|          | a) 1                                       |  | b)   | 2.6                  |  |    |
|          | c) 24                                      |  | d)   | 29                   |  |    |
| 3)       | The range of the v                         | alues a probability  | / ca | in assume is         |  |    |
|          | a) From 0 to 1                             |  | b)   | From $-1$ to $+$     | 1  |    |
|          | c) From 1 to 100                           |  | d)   | From 0 to 0.5        | )<br>                                    |    |
| 4)       | When a die is rolle                        | d, the probability o   | of g | getting a numb       | er greater than 4 is                     |    |
|          | a) $\frac{1}{6}$                           | b) $\frac{1}{3}$   | c)   | $\frac{1}{2}$        | d) 1                                     |    |
| 5)       |  | e number of non-ir   |      |                      | ed with a particular a sample of size 5. |    |
|          | a) binomial with n                         | = 5 and $p = 0.6$  |      |                      |  |    |
|          | b) binomial with n                         | = 5 and $p = 0.4$  |      |                      |  |    |
|          | c) binomial with n                         | = 5 and $p = 0.5$  |      |                      |  |    |
|          | d) Poisson with $\lambda$                  | = 0.6  |      |                      |  |    |

\_\_\_\_\_ measure of central location is used to determine an average annual percent increase.
 Probability of impossible event is \_\_\_\_\_
 Using Ogives \_\_\_\_ can be calculated graphically.
 In a binomial experiment, the probability of a \_\_\_\_\_ remains constant.
 A) Write short notes on the following :

 Explain the concept of geometric distribution with its applications.

8

6

- ii) Suppose coin is tossed 5 times, find the probability of getting at least 4 heads.
- B) Answer the following:

i) State Bayes theorem with usual notations.

ii) Discuss the properties of correlation coefficient.

3. Answer the following:

14

A) Test scores for a class of 20 students are as follows: 93, 84, 97, 98, 100, 78, 86, 100, 85, 92, 72, 55, 91, 90, 75, 94, 83, 60, 81, 95.

| Test Scores | Frequency |
|-------------|-----------|
| 91 – 100    |           |
| 81 – 90     |           |
| 71 – 80     |           |
| 61 – 70     |           |
| 51 – 60     |           |

- a) Copy and complete the table shown at the left.
- b) Find the modal interval.
- c) Find the interval that contains the median.
- B) The provisional figures on the population by age group in Hong Kong as at 9/2001 are tabulated below. Draw a cumulative frequency polygon and determine the median age for the population.

| Length (mm) | 20 – 24 | 25 – 29 | 30 – 34 | 35 – 39 | 40 – 44 | 45 – 49 | 50 – 54 |
|-------------|---------|---------|---------|---------|---------|---------|---------|
| Frequency   | 6       | 10      | 18      | 25      | 22      | 15      | 4       |

4. Answer the following:

14

- A) State and prove the multiplicative theorem of probability. How is the result modified when the events are independent?
- B) Calculate P(B|A) if P(A) = 0.75, P(B) = 0.60 and P(A|B) = 0.90.
- 5. Answer the following:

14

A) A discrete random variable X has the following distribution:

| Х    | -2  | -1  | 0   | 1   | 2   | 3 |
|------|-----|-----|-----|-----|-----|---|
| P(x) | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | k |

Find the value of k and P(|X| < 2).

| SLR-G – 30                                 | -4-                              |                         |
|--|----------------------------------|-------------------------|
| B) A typist in a company typing 432 pages: | y commits the following number o | of mistakes per page in |

Mistakes per page: 0 1 2 3 4

No. of pages: 223 142 48 15 4

Fit a Poisson distribution and test the goodness of fit.

### 6. Answer the following:

14

- A) Write an algorithm to generate exponential random variable and hence generate 10 exponential random variables with parameters  $\theta = 3$ .
- B) If the height of 300 students is normally distributed with mean 68 inches and standard deviation 2 inches, how many students have height?
  - i) Greater than 72 inches,
  - ii) Less than or equal to 60 inches and
  - iii) Between 65 and 71 inches inclusive, Assume the measurements to be recorded to the nearest inch.

### 7. Answer the following:

14

- A) Define rank correlation coefficient. When is it preferred instead of Karl Pearson's coefficient of correlation?
- B) Ten students obtained the following marks in Statistics (X) and Computer Science (Y):

Student: В C D Ε F G Н 1 J Α **X**: 92 89 86 87 83 71 77 63 53 50 **Y**: 86 83 77 91 68 52 85 82 57 57

Calculate the coefficient of correlation between the two series.

**SLR - G - 31** 



| Seat |  |
|------|--|
| No.  |  |

## M.C.A. (Part – II) (Semester – IV) (CGPA) Examination, 2015 COMPUTER SCIENCE Finite Automata

|  | Finite A  | Automata                  |                                      |        |
|--|---|---------------------------|--------------------------------------|--------|
| Day and Date : Tuesday<br>Time : 2.30 p.m. to 5.00 |   |                           | Max. Marks                           | s : 70 |
| Instructions                                       | : i) Question no. <b>1</b> ii) Attempt <b>any th</b><br>iii) Figures to the i | <b>ree</b> questions froi | m Q.No. <b>3</b> to Q.No. <b>7</b> . |        |
| 1. A) Select most cor                              | rect alternative.   |                           |                                      | 10     |
| 1) A language l                                    | is accepted by a fi   | nite automata if a        | nd only if it is                     |        |
| a) context fr                                      | ee  | b) context ser            | sitive                               |        |
| c) recursive                                       |   | d) right linear           |                                      |        |
| 2) Regular expr                                    | ession a/b denotes  | the set                   |                                      |        |
| a) {a}   | b) $\{\epsilon, a, b\}$   | c) {a, b}                 | d) {ab, a}                           |        |
| <ol><li>Context free</li></ol>                     | grammer can be re   | cognized by               |                                      |        |
| <ul><li>a) finite state</li></ul>                  | e automata  | b) posts corre            | spondence problem                    |        |
| c) turing mad                                      | chine   | d) push down              | automata                             |        |
| 4) A PDM beha                                      | ves like a TM when  | the number of au          | xiliary memory it has                |        |
| a) 0   | b) 1 or more  | c) 2 or more              | d) all of these                      |        |
| 5) Choose the o                                    | correct statement   |                           |                                      |        |
| a) All regula                                      | r grammars are CF   | G                         |                                      |        |
| b) All CSG a                                       | re CFG  |                           |                                      |        |
| c) CSG are   | most restricted grar  | nmar                      |                                      |        |
|  | Unrestricted has ed   |                           |                                      |        |
| 6) Turing mach                                     | ine is more powerfu   | ll than finite state r    | nachine because                      |        |
| a) tape move                                       | ement confined to o   | ne direction              |                                      |        |
| b) it has no t                                     |   |                           |                                      |        |
|  |   | arbitrarily long sec      | uences of input symbo                | ol     |
| d) all of the a                                    | above   |                           |                                      |        |

### **SLR- G - 31**



- 7) Which of the following problem is solvable?
  - a) Writing a universal turing machine
  - b) Determining of an arbitrary turing machine is an universal turing machine
  - c) Determining of a universal turing machine and some input will halt
  - d) None of these
- 8) The logic of Pumping lemma is good example of
  - a) the pigeon-hole principle
  - b) devide and conquer method
  - c) iteration
  - d) recursion
- 9) Finite state machine can recognize
  - a) any grammar
  - b) any unambiguous grammar
  - c) only CFG
  - d) only regular grammar
- 10) Any string of treminals that can be generated by the following context free grammar

 $s \rightarrow XY$ 

$$X \rightarrow aX|bX|a$$

 $Y \to Ya |Yb|a$ 

- a) has atleast one 'b'
- b) should end with 'b'
- c) has no consecutives a's or b's
- d) has atleast two a's
- B) State True or False.

4

- i) Finite state machine can recognize palindromes.
- ii) Power of DFSM and NDFSM are same.
- iii) Post's correspondence problem is solvable.
- iv) CFG grammar can be recognized by push-down automata.



2. A) Write short notes on the following.

8

- i) Regular expression
- ii) Universal turing machine.
- B) Answer the following.

6

7

- i) State and explain limitations of finite automata
- ii) Distinguish between DPDA and NPDA.
- 3. Answer the following.
  - A) Define PDA. Design PDA that accepts the language generated by the CFG

$$S \rightarrow S + S \mid S * S \mid 8$$

- B) Explain the closure properties of context free languages with the help of suitable example. **7**
- 4. Answer the following.
  - A) Consider the following  $\varepsilon$ -NFA

7

| States \ ∑      | Е   | Α   | b   | С   |
|-----------------|-----|-----|-----|-----|
| $\rightarrow$ p | ф   | {p} | {q} | {r} |
| q               | {p} | {q} | {r} | ф   |
| * r             | {q} | {r} | ф   | {p} |

- i) Compute the  $\epsilon$ -closure of each state.
- ii) Give the string of length three or less accepted by automata.
- iii) Convert the automata to DFA.
- B) Prove that if L is a CFL and R is a regular language, then  $L \cap R$  is a CFL.

7

- 5. Answer the following.
  - A) Using the following grammar

$$s \rightarrow AS |SB|0|1$$

$$A \rightarrow AA | 0$$

$$B \rightarrow BB | 1$$

7

Use the CYK algorithum to determine whether the following string is in L(G) 000000

B) Design a turing machine which computes 2's comlement of a given binary number.

7



-4- SLR - G - 31

7

- 6. Answer the following.
  - A) Explain the recursive and recursively enumerable languages with the help of suitable example.
  - B) Prove that, the following language is non-regular using Pumping Lemma. 7

$$L = \{0^{i^2} | i \text{ is an int eger, } i \ge 1\}$$

- 7. Answer the following.
  - A) Construct DFA accepting language represented by (0+1)\*.00.(0+1)\*
  - B) Define grammar. Construct CFG for the following language

(with 
$$n \ge 0, m \ge 0, k \ge 0$$
) L =  $\{a^n b^m c^k | n = m \text{ or } m \le k\}$ 

\_\_\_\_\_



| Seat |  |
|------|--|
| No.  |  |

c) System .Int 64

## M.C.A. - II (Semester - IV) Examination, 2015

|         | CC   | MPUTER SCIE<br>.NE   | •               | 4)  |      |
|---------|--|--|-----------------|---|------|
| -       | Date : Thursday, 19-<br>30 p.m. to 5.00 p.m.                                   |  |                 | Max. Marks                                      | : 70 |
| In      | •  | lo. <b>1</b> and <b>2</b> are <b>co</b><br>mpt <b>any 3</b> questi<br>ures to the right in | ons from Q. No  |   |      |
| 1. A) C | hoose correct alterr   | natives :  |                 |   | 10   |
| i)      | The object that cor page, that is built  |  | erties and meth | ods for every ASP.NET                           |      |
|         | a) Page Object   |  | b) HTTPPag      | e Object  |      |
|         | c) WebPage Obje  | ect  | d) System.W     | eb.UI.Page                                      |      |
| ii)     |  |  |                 | for using in creating a .NET SDK utility should |      |
|         | a) certmgr.exe   | b) gacutil.exe   | c) sn.exe       | d) resgen.exe                                   |      |
| iii)    | Which of the follo framework installa  |  | is not included | I in the default ? .NET                         |      |
|         | a) C#  |  | b) VB.NET       |   |      |
|         | c) JScript.NET   |  | d) VBScript.N   | NET   |      |
| iv)     | a) Client compute<br>b) Server machin<br>c) Passed to and<br>d) Both a and b a | er as a cookie<br>e<br>fro on each and o   |                 | ne Session is stored in and response            |      |
| v)      | The keyword 'int' r  | maps to one of the   | e following .NE | T types   |      |
|         | a) System .Int 16  | }  | b) System .lr   | nt 32   |      |

d) System .Int 128

2.



| •  | ∕i)  | A new server-side                    | control can be cre   | eated by implem   | enting the class        |   |
|----|------|--------------------------------------|----------------------|-------------------|-------------------------|---|
|    |      | a) System.Web.V                      | VebControl           |                   |                         |   |
|    |      | b) System.Web.L                      | JI.WebControl        |                   |                         |   |
|    |      | c) System.Web.L                      | JI.WebControls.W     | ebControl         |                         |   |
|    |      | d) Any one of the                    | above                |                   |                         |   |
| ٧  | ii)  | A set of tables are                  | maintained in a D    | Dataset as        |                         |   |
|    |      | a) TablesCollection                  | on object            |                   |                         |   |
|    |      | b) DataTableColle                    | ection object        |                   |                         |   |
|    |      | c) DataRowsColle                     | ection object        |                   |                         |   |
|    |      | d) TableRowColle                     | ection object        |                   |                         |   |
| Vi | iii) | The method that ne generated dataset |                      | on the DataAdap   | ter control to load the |   |
|    |      | a) Bind ()                           | b) Fill ()           | c) FillData()     | d) SetData ()           |   |
| i  | x)   | What method(s) monly one process a   |                      |                   | object to ensure that   |   |
|    |      | a) Synchronize ()                    | )                    | b) Lock () and    | UnLock()                |   |
|    |      | c) Lock ()                           |                      | d) Asynchroniz    | ze ()                   |   |
|    | x)   | The event handler                    | s that can be inclu  | ided in the Globa | al.asax file are        |   |
|    |      | a) Application Sta                   | art and Session St   | art event handle  | rs only                 |   |
|    |      | b) Application En                    | d and Session En     | d event handlers  | only                    |   |
|    |      | c) Per-request an                    | nd Non-determinis    | tic event handler | rs only                 |   |
|    |      | d) Application Sta                   | art and End.         |                   |                         |   |
| B) | Sta  | ate the followings <b>t</b> ı        | rue or false :       |                   |                         | 4 |
|    | i)   | C# supports multip                   | ole-inheritance.     |                   |                         |   |
|    | •    | Static method can                    |                      |                   |                         |   |
|    | -    | Any ODBC-compli                      |                      |                   | _                       |   |
| ı  | V)   | i ne following is a va               | alia statement in AS | 6P.NET<%@Pag      | je Language = "C"%>.    |   |
| A) |      | ite short notes on t                 | •                    |                   |                         | 8 |
|    | •    | What is command                      |                      | olain.            |                         |   |
|    | •    | Define Boxing and                    | _                    | n                 |                         | e |
| D) | VVI  | ite steps create a v                 | viinoim applicatio   | 11.               |                         | 6 |

|    | -3-  | SLR-G - 32 |
|----|--|------------|
| 3. | Answer the following:  A) Explain structure of .net framework.  B) Describe web architecture model with a neat diagram.                      | 14         |
| 4. | Answer the following:  A) Explain the components of c#.  B) Explain ASP.NET page life cycle.   | 14         |
| 5. | Answer the following:  A) Define namespaces. Explain any two namespaces.  B) Explain the use of COM+.  | 14         |
| 6. | Answer the following:  A) Differentiate between client side and server side validation.  B) Explain Navigation controls.                     | 14         |
| 7. | Answer the following:  A) Write steps to compile and execute a c# program with example.  B) Explain structure and functions of .NET runtime. | 14         |

| Seat |  |
|------|--|
| No.  |  |
| NO.  |  |

### M.C.A. (Semester – IV) (Computer Science) (CGPA) Examination, 2015 UML

Day and Date: Saturday, 21-11-2015 Max. Marks: 70

Time: 2.30 p.m. to 5.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Choose correct alternatives:

10

- 1) In UML diagram of a class
  - a) State of object cannot be represented
  - b) State is irrelevant
  - c) State is represented as an attribute
  - d) State is represented as a result of an operation
- 2) An object is selected for modeling a system provided
  - a) Its attributes are invariant during operation of the system
  - b) Its attributes change during operation of the system
  - c) It has numerous attributes
  - d) It has no attributes relevant to the system
- 3) Which one is not a relationship in a UML?
  - a) Dependency

b) Assertion

c) Association

- d) Realization
- 4) Objects may be viewed as
  - a) Clients in a system
  - b) Servers in a system
  - c) As both clients and servers in a system
  - d) Neither as clients nor as servers in a system



| 5)  | A signal represents what type of objects that are dispatched asynchronously by one object and then received by another. |  |  |  |  |
|-----|---|--|--|--|--|
|     | a) Data Objects   | b) Named Objects                         |  |  |  |
|     | c) Class Objects  | d) None of the above                     |  |  |  |
| 6)  | Which one is not belong to structura  | l diagrams ?                             |  |  |  |
|     | a) Class diagram  | b) Data diagram                          |  |  |  |
|     | c) Object diagram   | d) Component diagram                     |  |  |  |
| 7)  | In object-oriented design   |  |  |  |  |
|     | a) Operations and methods are iden  | ntical                                   |  |  |  |
|     | b) Methods specify algorithms whe done  | reas operations only state what is to be |  |  |  |
|     | c) Methods do not change values of  | fattributes                              |  |  |  |
|     | d) Methods and constructor are san  | ne                                       |  |  |  |
| 8)  | All objects have :  |  |  |  |  |
|     | i) Attributes   |  |  |  |  |
|     | ii) States  |  |  |  |  |
|     | iii) A set of operations  |  |  |  |  |
|     | iv) A unique identity   |  |  |  |  |
|     | a) i, ii, iii   | b) ii, iii, iv                           |  |  |  |
|     | c) i, iii, iv   | d) i, ii, iii, iv                        |  |  |  |
| 9)  | Attributes are assigned value   |  |  |  |  |
|     | a) When operations are performed of   | •  |  |  |  |
|     | b) When instances of objects are de   | fined                                    |  |  |  |
|     | c) When methods are invoked   |  |  |  |  |
|     | d) When classes are identified  |  |  |  |  |
| 10) | The UML defines a standard constra  |  |  |  |  |
|     | a) Transient  | b) Volatile                              |  |  |  |
| D)  | c) Both a) and b)   | d) None of the above                     |  |  |  |
| ,   | in the blanks :   | 4  |  |  |  |
|     | An activity is ongoing  |  |  |  |  |
| 2)  | A component is a an   | d parts of a system that                 |  |  |  |
|     | performs to and provides the realiza  | mon or a set of interfaces.              |  |  |  |



|    | <ol> <li>Activity diagram commonly contain activity states and action states is tr<br/>false</li> </ol>   | rue/  |
|----|---|-------|
|    | <ol><li>An active object is an object that owns a and initiate con<br/>activity.</li></ol>  | itrol |
| 2. | A) Write short notes on the following :     i) Behavioural diagrams in UML  | 8     |
|    | <ul><li>ii) Logical database schema modeling.</li><li>B) Answer the following:</li><li>i) Portrays the different types of relationships with an example.</li><li>ii) Explain the role of realization with an example.</li></ul> | 6     |
| 3. | Answer the following:  A) Explain modeling static and dynamic types.  B) Explain forward and reverse engineering process.   | 14    |
| 4. | Answer the following:  A) Portray the need of modeling the seams in a system.  B) Explain the state chart diagram.  | 14    |
| 5. | Answer the following:  A) Explain the modeling the lifetime of an object.  B) Explain names, attributes, operations and responsibilities.   | 14    |
| 6. | Answer the following:  A) Explain the need of notes in structural modeling.  B) Explain the modeling inter-process communications.  | 14    |
| 7. | Answer the following:  A) Explain the modeling timing constraints.  B) Explain the basic four adornments that apply to association.   | 14    |



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. – II (Semester – IV) (CGPA) (Computer Science) Examination, 2015 DATA MINING AND WAREHOUSE

|  | DATA MINING ANI  | D WAREHOUSE                      |                   |
|--|--|----------------------------------|-------------------|
| Day and Date: Tuesda<br>Time: 2.30 p.m. to 5.0 | • •  |                                  | Max. Marks: 70    |
| Instructions :                                 | <ol> <li>Question No. 1 and</li> <li>Attempt any 3 que</li> <li>Figures to the righ</li> </ol> | stions from Q. No. <b>3</b> to Q | ). No. <b>7</b> . |
| 1. A) Choose correct                           | t alternatives :   |                                  | 10                |
| •  | s of grouping a set of ph<br>pjects is called  | nysical or abstract objects      | s into classes    |
| A) Classification                              | ation  | B) Prediction                    |                   |
| C) Clusterin                                   | g  | D) Combination                   |                   |
| 2) A tables.                                   | Schema allows dimens   | sion tables to be shared         | between fact      |
| A) Fact cons                                   | stellation   | B) Star                          |                   |
| C) Snowflak                                    | се   | D) All of the above              |                   |
| 3) The 0-D cub                                 | ooid, which holds the hi   | ghest level of summariza         | tion is called    |
| A) Linear Cu                                   | uboid  | B) Base Cuboid                   |                   |
| C) Latex Cu                                    | boid   | D) Apex Cuboid                   |                   |
| •  | ains querying, basic st<br>ts or graphs.   | atistical analysis and re        | porting using     |
| A) Analytica                                   | al processing  | B) Information process           | ing               |
| C) Data min                                    | ing  | D) Data binding                  |                   |
| •  | the process of finding a r<br>s or concepts.   | model that describes and         | distinguishes     |
| A) Data cha                                    | racterization  | B) Data classification           |                   |
| C) Data disc                                   | crimination  | D) Data selection                |                   |
|  |  |                                  |                   |

B)



4

| 6)  |     | means that a DM syst   | em    | will use some facilities of a DB or  |
|-----|-----|--|-------|--|
|     | D۷  | V system, fetching data from a dat                                     | ta re | epository managed by this system.  |
|     | A)  | Loose coupling   | B)    | Semi-tight coupling  |
|     | C)  | Tight coupling   | D)    | No-coupling  |
| 7)  |     | specifies the portior  | ns o  | f the database or the set of data in   |
|     | wh  | nich the user is interested.   |       |  |
|     | A)  | Interestingness measures   | B)    | Kind of knowledge to be mined  |
|     | C)  | Task relevant data   | D)    | Visualization  |
| 8)  | Da  | ta transformation includes which                                       | of t  | he following?  |
|     | A)  | A process to change data from a  | ι de  | tailed level to a summary level  |
|     | B)  | A process to change data from a  | ı su  | mmary level to a detailed level  |
|     | C)  | Joining data from one source int                                       | o va  | arious sources of data   |
|     | D)  | Separating data from one source  | e int | to various sources of data   |
| 9)  | Le  | arning is  |       |  |
|     | A)  | The process of finding the right for of knowledge in order to represe  |       | al representation of a certain body<br>in a knowledge based system                 |
|     | B)  | It automatically maps an externa representational space                | l się | gnal space into a system's internal  |
|     | C)  | •  | а     | ns how to carry out a certain task situation in which the same task be carried out |
|     | D)  | None of these  |       |  |
| 10) | WI  | nich is the technique used for clas                                    | ssifi | cation in data mining?   |
|     | A)  | Descriptive pattern  | B)    | Associations   |
|     | C)  | Regression   | D)    | Decision tree  |
| Sta | ate | whether <b>true/false</b> :  |       |  |
| 1)  |     | oll up operation performs aggregate a concept hierarch for a dimension |       | on a data cube, either by climbing or by dimension reduction.                      |
|     | _   |  | _     |  |

- 2) Enterprise warehouse contains a subset of corporate-wide data that is of value to a specific group of users.
- 3) Pivot is a visualization operation that rotates the data axes in view in order to provide an alternative presentation of the data.
- 4) An OLTP is market-oriented and is used for data analysis by knowledge workers including managers, executives and analysts.



| 2. | A) Write a short notes on the following :                                       | 8  |
|----|---|----|
|    | i) Metadata repository  |    |
|    | ii) Data reduction.   |    |
|    | B) Answer the following questions:  | 6  |
|    | i) Explain in short data mining query language.                                 |    |
|    | ii) What is data cleaning? Explain some strategies to fill the missing values.  |    |
| 3. | Answer the following:   | 14 |
|    | A) Explain different types of schemas for multidimensional databases.           |    |
|    | B) Explain data mining primitives in detail.                                    |    |
| 4. | Answer the following:   | 14 |
|    | A) What is Association Rule ? Explain single dimension Boolean association rule |    |
|    | B) Explain with example classification by Decision Tree Induction Method.       |    |
| 5. | Answer the following:   | 14 |
|    | A) Explain IF-THEN rules for classification method with example.                |    |
|    | B) What is cluster analysis? Explain types of data in cluster analysis.         |    |
| 6. | Answer the following:   | 14 |
|    | A) Explain K-medoids Algorithm in detail.                                       |    |
|    | B) Explain three tier data warehouse architecture with well labeled diagram.    |    |
| 7. | Attempt the following:  | 14 |
|    | A) What is data warehouse ? Explain various OLAP operations.                    |    |
|    | B) Explain various trends in data mining.                                       |    |
|    |   |    |
|    |   |    |

**SLR-G - 35** 



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. (Part – II) (Semester – IV) (CGPA) Examination, 2015 COMPUTER SCIENCE Distributed Operating System

| Day and Date: Friday, 27-11-2015   | Max. Marks : 70   |
|--|---|
| Time: 2.30 p.m. to 5.00 p.m.   |   |
| Instructions: 1) Question No. 1 and 2 ar<br>2) Attempt any three ques<br>3) Figures to the right indi  | stions from Q. No. <b>3</b> to Q.No. <b>7</b> .   |
| 1. A) Choose the correct alternatives :  | 10  |
| resources of the process to which  | ning, the threads share memory and the name they belong. c) Multithreading d) None of these               |
| a) True Distributed systems  | software on tightly-coupled hardware. b) Multiprocessor time sharing systems d) Network Operating systems |
| <ul> <li>3) means that resources to another without having changin</li> <li>a) Migration transparency</li> <li>c) Location transparency</li> </ul> | b) Remote procedure calls   |
| <ul> <li>4) The sender just transmits the firs letter in a mailbox is an example of a) Berkeley</li> <li>c) Connectionless</li> </ul>              |   |
| , ————   | hen a process calls send it specifies a I to that destination, while message is suspended.                |
| <ul><li>a) Buffered messaging</li><li>c) Extermination</li></ul>   | <ul><li>b) Blocking primitives</li><li>d) Non-blocking primitive</li></ul>                                |
| C) Extermination   | a) Non-blocking primitive   |



| 6)   | 6) The sending of message from a single sender to a single receiver sometimes called |   |  |
|------|--|---|--|
|      | a) Broadcasting  | b) Unbuffered primitive   |  |
|      | c) Unicasting  | d) Multicasting   |  |
| 7)   |  | f 'A $\rightarrow$ B' ('A' happens before 'B') and en 'A $\rightarrow$ C' ('A' happens before 'C').   |  |
|      | a) Associative Relation  | •   |  |
|      | c) Paired Relation   | d) Best fir relation  |  |
| 8)   | · · · · · · · · · · · · · · · · · · ·  | first acquires all the locks it needs then releases them during shrinking   |  |
|      | •  | b) Read and Writing   |  |
|      | c) Optimistic concurrency control  | ,   |  |
| 9)   | consists of three numbers: the proce   |   |  |
|      | d) (i) Sent and (ii) just blocked  |   |  |
| 10)  |  | des a large number of operations for and writing parts of files, moving around I changing file attributes and so on.  b) Remote access model d) Upload/Download model |  |
| B) S | tate <b>True</b> or <b>False</b> :   |   |  |
| 1)   | A bus based multicomputer consist of to a common bus, along with a shar              | of some number of CPUs all connected ed memory.   |  |
| 2)   |  | arallel processing. That is a collection play a game of chess might form an   |  |
| 3)   | •  | ontinues from thread to thread; by the lata and passes them on to the next  |  |
| 4)   | The location transparency means the where the file is located.                       | hat the path name gives no hint as to   |  |



| 2. | <ul><li>A) Write a short note on following:</li><li>1) The Berkeley algorithm for clock synchronization.</li><li>2) Layered protocols.</li></ul>   | 8      |
|----|--|--------|
|    | <ul><li>B) Answer the following :</li><li>i) What do you mean by bus-based multiprocessor ?</li><li>ii) Enlist the design issue in distributed systems.</li></ul>  | 6      |
| 3. | <ul><li>Answer the following:</li><li>A) Define distributed operating systems. State and explain in detail the advantages and disadvantages of it.</li><li>B) What do you mean by distributed file systems? Discuss in detail cache consistency algorithms for managing a client file cache?</li></ul> | 7      |
| 4. | <ul><li>Answer the following:</li><li>A) Discuss in detail client server model with reliable versus unreliable primitives.</li><li>B) Define mutual exclusion. State and compare centralized and token ring algorithm to achieve mutual exclusion.</li></ul>   | 7      |
| 5. | Answer the following:  A) Enlist the various system models. Discuss in detail processor pool model.  B) Discuss in detail the concept of remote procedure call.  | 7<br>7 |
| 6. | Answer the following:  A) What do you mean by threads? State and explain the hierarchical processor allocation algorithms?  B) Discuss in detail usefulness of atomic transaction in distributed systems.  | 7<br>7 |
| 7. | Answer the following:  A) Discuss in detail the bully and ring algorithm as the election algorithms.  B) What are the windows programming concepts? State the difference between MS-Windows NT and Novell Netware?   | 7      |

**SLR-G - 36** 

P.T.O.

| Seat |  |
|------|--|
| No.  |  |

### M.C.A. (V Semester) (CGPA) (Computer Science) Examination, 2015 ARTIFICIAL INTELLIGENCE

|         |   | ARTIFICIAL                           | . INTELLIGENC   | E                                |      |
|---------|---|--------------------------------------|---|----------------------------------|------|
| -       | Date : Monday, <sup>.</sup><br>.30 a.m. to 1.00 |                                      |   | Marks                            | : 70 |
| Inst    | 2) A  | ttempt <b>any 3</b> qu               | nd <b>2</b> are <b>compulso</b><br>lestions from Q. No<br>l <b>ht</b> indicate <b>full</b> ma | o. <b>3</b> to Q. No. <b>7</b> . |      |
| 1. A) C | hoose correct a                                 | Iternatives :                        |   |                                  | 10   |
| 1)      | Which one is r                                  | not an expert ta                     | sk?   |                                  |      |
|         | a) Engineering                                  | 9                                    | b) Scientific a   | nalysis                          |      |
|         | c) Games  |                                      | d) Financial A  | nalysis                          |      |
| 2)      | Production sys                                  | stem consists o                      | f   |                                  |      |
|         | a) A set of Ru                                  | les                                  | b) One or more  | e knowledge/databases            |      |
|         | c) A rule appli                                 | er                                   | d) All the abov   | re                               |      |
| 3)      | What is the te part of probler                  |                                      | scribing the judgen   | nental or commonsense            |      |
|         | a) Heuristic                                    |                                      | b) Critical   |                                  |      |
|         | c) Value base                                   | d                                    | d) Analytical   |                                  |      |
| 4)      | In predicate log<br>as                          | gic, we can repr                     | esent real-world fa   | cts as statements written        |      |
|         | a) Aff's  | b) Wff's                             | c) Cff's  | d) All the above                 |      |
| 5)      | Which of the fo                                 | ollowing is a TT                     | -Contradiction?   |                                  |      |
|         | a) Cube(a) ^                                    | ⊸Cube(a)                             |   |                                  |      |
|         | b) (Tet(a) $\wedge$ a=                          | b) \( \text{Dodec (b)}               |   |                                  |      |
|         | c) Tet(a) ∧ Te                                  | $t(b) \wedge \neg (Tet(a) \setminus$ | / Tet(b))   |                                  |      |
|         | d) ∃x¬Cube(                                     | $(x) \land \neg \forall x Cub \in$   | e(x)  |                                  |      |
| 6)      | Different ways                                  | of handling ser                      | ntences such as   |                                  |      |
|         | a) All paths                                    |                                      | b) Best path w  | rith backtracking                |      |
|         | c) Best path v                                  | vith patchup                         | d) All of the ab  | oove                             |      |

7) A frame is a collection of



|    | ,     |  |  |   |
|----|-------|--|--|---|
|    | 8)    | <ul> <li>a) Slots and associated values</li> <li>b) Attributes and associated value</li> <li>c) Both a) and b)</li> <li>d) None of the above</li> <li>Horn Clause is a clause that as</li> <li>a) At most one positive literal</li> </ul>  | es   |   |
|    |       | <ul><li>b) At most one negative literal</li><li>c) Both a) and b)</li><li>d) None of the above</li></ul>   |  |   |
|    | 9)    | A minimax search procedure is  |  |   |
|    |       | a) depth-first   | b) depth-limited   |   |
|    |       | c) both a) and b)  | d) none of the above   |   |
|    | 10)   | Script is a structure that describe  |  |   |
|    |       | a) stereotyped sequence  |  |   |
|    | _,    | c) both a) and b)  | d) none of the above   | _ |
|    | •     | l in the blanks or <b>true/false</b> :   |  | 4 |
|    | 1)    | A function is a function | nction that maps from problem state ity, represented as numbers. |   |
|    | 2)    | algorithm is use   | d to find a minimal-cost overall path.                           |   |
|    | 3)    | are natural way appear as ground instances of bi   | o represent relationships that would nary predicate logic.       |   |
|    | 4)    | was the first progracquisition.  | am to support explanation and knowledge                          |   |
| 2. | A) W  | rite short notes on the following:   |  | 8 |
|    | i)    | Production system.   |  |   |
|    | ii)   | Explain Semantic Nets.   |  |   |
|    | B) Ar | swer the following :   |  | 6 |
|    | i)    | Explain acquisition process in ex  | pert system.   |   |
|    | ii)   | Explain the need of waiting for Qu   | iescence.  |   |
|    |       |  |  |   |

|    | -3-  | SLR-G-36 |
|----|--|----------|
| 3. | Answer the following:  A) Explain the problem characteristics.  B) Write Algorithm to convert to clause form.              | 14       |
| 4. | Answer the following:  A) Explain the Bayes Theorem.  B) Explain partitioned semantic Nets with descriptions.              | 14       |
| 5. | Answer the following:  A) What is conceptual dependency and list its categories.  B) Explain the Minimax search procedure. | 14       |
| 6. | Answer the following:  A) Explain the steps in natural language processing.  B) Explain Dempster-shafer theory.            | 14       |
| 7. | Answer the following:  A) Differentiate between Top-Down versus Bottom-Up Parsing.  B) Explain Expert System Shells.       | 14       |

**SLR-G - 37** 



| Seat |  |
|------|--|
| No.  |  |

### M.C.A. (Semester – V) (CGPA) (Computer Science) Examination, 2015 WEB TECHNOLOGY

|  | WEB TECH  | NOLOGY  |                                 |        |
|--|---|---|---------------------------------|--------|
| Day and Date: Wednes<br>Time: 10.30 a.m. to 1.   | -   |   | Max. Marks                      | s : 70 |
| Instructions :   | <ol> <li>Question No. 1 and</li> <li>Attempt any 3 que</li> <li>Figures to the right</li> </ol> | stions from Q. No   | . <b>3</b> to Q. No. <b>7</b> . |        |
| 1. A) Choose correct   | alternatives :  |   |                                 | 10     |
| 1) The executi   | on of a <i>servlet</i> is manaç   | ged by  |                                 |        |
| a) servlet e   | ngines  | b) java class   |                                 |        |
| c) web serv  | ver ver   | d) none of the  | se                              |        |
| 2) CONTENT_<br>specified.  | _TYPE designates the  | e type  | of attached data, i             | f      |
| a) MIME  | b) Integer  | c) String   | d) None                         |        |
| 3) The cookie h  | neader becomes  |   |                                 |        |
| a) HTTP_C  | OOKIE   | b) Request g  | jetheader                       |        |
| c) HTTP_R  | EFERER  | d) None   |                                 |        |
| 4) XML authors   | s can use the following a   | alternative syntax  | for JSP expressions             | 3      |
| a) <jsp:exp< td=""><td>ression&gt; Java Express</td><td>ion <jsp: expressi<="" td=""><td>on&gt;</td><td></td></jsp:></td></jsp:exp<> | ression> Java Express   | ion <jsp: expressi<="" td=""><td>on&gt;</td><td></td></jsp:>  | on>                             |        |
| b) <java ex<="" td=""><td>xpression&gt; jsp: express</td><td>sion&gt; jsp: express</td><td>ion&gt;</td><td></td></java>              | xpression> jsp: express   | sion> jsp: express  | ion>                            |        |
| c) <jsp: exp<="" td=""><td>oression % OR % Java</td><td>code%&gt;</td><td></td><td></td></jsp:>                                      | oression % OR % Java  | code%>  |                                 |        |
| d) jsp: ex</td <td>rpression&gt; jsp: express</td> <td>sion <java expres<="" td=""><td>sion&gt;</td><td></td></java></td>            | rpression> jsp: express   | sion <java expres<="" td=""><td>sion&gt;</td><td></td></java> | sion>                           |        |
|  |   |   |                                 |        |



| <%string querydata = request.getquerystring();             |   |  |  |  |
|--|---|--|--|--|
| Out.println("Attached Get data: "+que                      | ydata); %>  |  |  |  |
| a) Explicitly sends the output to the re                   | sultant page  |  |  |  |
| b) Explicitly receives the data through                    | querydata   |  |  |  |
|  | nitor   |  |  |  |
| d) Not known   |   |  |  |  |
| <%=Java Expression %); the jsp expr                        | ession is   |  |  |  |
| a) Used to insert directly into the outp                   | ut  |  |  |  |
| b) Evaluated, converted to a string                        |   |  |  |  |
| c) Both (a) and (b)  |   |  |  |  |
| d) None of the above                                       |   |  |  |  |
| Deactivating the language using jsp-property group webxml. | e in multiple jsp pages can be done   |  |  |  |
| a) Expression b) Regular                                   | c) English d) All of the above  |  |  |  |
| Var my_list = new Array (1, 2, "one", object of            | "two"); In this declaration an Array  |  |  |  |
| a) Length four is created and initialize                   | d   |  |  |  |
| b) Length two is created and initialize                    | d   |  |  |  |
| c) Length four is created                                  |   |  |  |  |
| d) Length two is created                                   |   |  |  |  |
| HTTP stands for  |   |  |  |  |
| a) Hypertext Transfer protocol                             | b) Hyper text technology protocol   |  |  |  |
| c) Both (a) and (b)  | d) None of the above  |  |  |  |
| Server-side JavaScript is a collection useful on           | of objects that make the language   |  |  |  |
| a) web server  | b) client program   |  |  |  |
| c) mouse click   | d) none   |  |  |  |
|  | Out.println("Attached Get data: "+quera) Explicitly sends the output to the reb) Explicitly receives the data through c) Explicitly sends the input to the mod) Not known  <%=Java Expression %); the jsp expral Used to insert directly into the output b) Evaluated, converted to a string c) Both (a) and (b) d) None of the above  Deactivating the language using jsp-property group webxml.  a) Expression b) Regular  Var my_list = new Array (1, 2, "one", object of a) Length four is created and initialized b) Length two is created and initialized c) Length four is created  HTTP stands for a) Hypertext Transfer protocol c) Both (a) and (b)  Server-side JavaScript is a collection useful on a) web server |  |  |  |



|    | B) | Fil      | l in | the blanks or tr  | rue/false :   | 4  |
|----|----|----------|------|---|---|----|
|    |    | 1)       |      | ML elements, ur<br>False  | nlike HTML ones, are case insensitive b) True   |    |
|    |    | 2)       |      | ne code I and II a<br><jsp:plugin typ<br="">Code="myapp<br/>Width="475" H<br/></jsp:plugin> | e="applet"  |    |
|    |    |          | II)  | <applet coi<="" th=""><th>DE="myApplet.class"</th><th></th></applet>                        | DE="myApplet.class"   |    |
|    |    |          |      | WIDTH=475 H   | EIGHT= 350>   |    |
|    |    |          |      | <\APPLET> a) True   | b) False  |    |
|    |    | 3)       |      | ne jsp:Plugin ele<br>False  | ment add additional java capabilities to the browser b) True                                  |    |
|    |    | 4)       |      | ML is used for P<br>True  | arsing<br>b) False  |    |
| 2. | A) | i)       | As   |   | the following :<br>quest Processing.<br>ndard CGI Variables.                                  | 8  |
|    | B) | a)<br>b) | Ca   | ain the following<br>anvas<br>onts<br>ext area.   | tags:   | 6  |
| 3. | •  |          |      | •   | Constructor do in JavaScript ? d objective of sharing beans.                                  | 14 |
| 4. | -  |          |      |   | primitive data types in JavaScript. plugin element and the four attributes which they supply. | 14 |

14

14

- 5. A) Write a code using jsp expression to output a bulleted list of five random integer numbers from 1 and 10, use a separate helper class for the random Int method.
  - B) With suitable example discuss the two ways of setting bean properties.
- 6. A) Create XHTML document that contains student information viz name, roll number, marks in subject 1, subject 2 and subject 3. Insert the values for each student in different rows. Assume that there are ten students whose information is to be entered.
  - B) What parameter-passing method does JavaScript use? How can a function access actual parameter values for those actual parameters that do not correspond to any formal parameters?

#### 7. Answer the following:

- A) What is the need of session tracking API? Explain any three methods available in the HTTP session class.
- B) Mention the two characteristics of Arrays in JavaScript and describe the two ways that an Array object can be created.

**SLR-G - 38** 



| Seat |  |
|------|--|
| No.  |  |

# M.C.A. – III (Semester – V) (CGPA) Examination, 2015 COMPUTER SCIENCE Network Security

|                     | Network  | Security               |                                  |    |
|---------------------|--|------------------------|----------------------------------|----|
| Day and Date : Mon  | day, 23-11-2015  |                        | Max. Marks :                     | 70 |
| Time: 10.30 a.m. to | 1.00 p.m.  |                        |                                  |    |
| Instructions :      | <ol> <li>Question No. 1 and</li> <li>Attempt any three of</li> <li>Figures to the right</li> </ol> | questions from Q. N    | o. <b>3</b> to Q. No. <b>7</b> . |    |
| 1. A) Choose the    | correct alternatives :   |                        |                                  | 10 |
|                     | is a collection of p<br>for a packet at the netwo  | _                      | y the IETF to provide            |    |
| A) IPSec            | B) SSL   | C) Threat              | D) None of these                 |    |
| •                   | dual who seizes supervi<br>evade auditing and acce   | -                      | <del>-</del>                     |    |
| A) Misfe            | asor   | B) Masquerad           | er                               |    |
| C) Cland            | lestine user   | D) None of the         | ese                              |    |
| 3)                  | provides authentic   | ation at the IP level. |                                  |    |
| A) AH               | B) ESP   | C) PGP                 | D) SSL                           |    |
| 4) TLS stan         | ds for   |                        |                                  |    |
| A) Telec            | ommunication Layer Sta   | ındard                 |                                  |    |
| B) Trans            | action Layer Serial  |                        |                                  |    |
| C) Trans            | port Lower Standard  |                        |                                  |    |
| D) Trans            | port Layer Security  |                        |                                  |    |
| 5) IPSec de         | fines two protocols :  | and                    |                                  |    |
| A) AH;S             | SL   | B) PGP; SSL            |                                  |    |
| C) AHP;E            | ESP  | D) None of the         | ese                              |    |



|    | 6)    | A is defined as the set of hardware, software, people, policies and procedures needed to create, manage, store, distribute and revoke digital certificates based on asymmetric cryptography. |   |                       |                        |   |
|----|-------|--|---|-----------------------|------------------------|---|
|    |       | A) PKI   | B) PGP                                      | C) TLS                | D) None of these       |   |
|    | 7)    |  | rocesses the inpubut block for each b       |                       | lements at a time,     |   |
|    |       | A) Block Cipher  |   | B) Stream Ciph        | ner                    |   |
|    |       | C) Table Cipher  |   | D) None of the        | se                     |   |
|    | 8)    | is the input.  | original message c                          | or data that is fed i | nto the algorithm as   |   |
|    |       | A) plain-text  | B) secret-text                              | C) cipher text        | D) none of these       |   |
|    | 9)    | Thecommunications f  |   | ts the normal use     | or management of       |   |
|    |       | A) Masquerade  |   | B) Replay             |                        |   |
|    |       | C) Modification of   | message                                     | D) Denial of se       | rvice                  |   |
|    | 10)   | =  | onsible for defining<br>e and broad directi |                       | cture of the internet, |   |
|    |       | A) IAB   | B) IETF                                     | C) IESG               | D) None of these       |   |
|    | B) St | ate <b>true</b> or <b>false</b> :  |   |                       |                        | 4 |
|    | 1)    | PGP is open-sour   | ce freely available                         | software package      | for e-mail security.   |   |
|    | 2)    | Larger key size r decryption speed.  | •   | curity but may de     | crease encryption/     |   |
|    | 3)    | Passive attack af  | fects the system re                         | esources.             |                        |   |
|    | 4)    | Kerberos is an au environment.   | uthentication servi                         | ce designed for ι     | use in a distributed   |   |
| 2. | A) W  | rite short notes on  | the following :                             |                       |                        | 8 |
|    | i)    | E-mail security  |   |                       |                        |   |
|    | ii)   | Cryptanalysis.   |   |                       |                        |   |
|    | B) Ar | nswer the following  | :   |                       |                        | 6 |
|    | •     |  | •   | •                     | nd security service.   |   |
|    | ii)   | What is Attack?  | Explain in short tvr                        | oes of active attac   | ks.                    |   |

-3-

**SLR-G-38** 

**SLR-G - 39** 



| Seat |  |
|------|--|
| No.  |  |

## M.C.A. – III (Semester – V) (CGPA) Examination, 2015 COMPUTER SCIENCE Digital Image Processing

|         | _  | ·9·····   |                  |                               |      |
|---------|--|---|------------------|-------------------------------|------|
| -       | Date : Thursday, 26-1<br>).30 a.m. to 1.00 p.m.    | 1-2015  |                  | Total Marks                   | : 70 |
| In      | •  | stion No. <b>1</b> and <b>2</b> a<br>mpt <b>any 3</b> question<br>res to the <b>right</b> ind | ns from Q. No. 3 | <b>3</b> to Q. No. <b>7</b> . |      |
| 1. A) C | hoose correct alterna                              | atives :  |                  |                               | 10   |
| 1)      | Nuclear medicine is                                | one of the applicat   | ions based on _  |                               |      |
|         | a) Gamma rays                                      | J   | o) X-rays        |                               |      |
|         | c) Ultraviolet rays                                | (   | d) Infra red ray | S                             |      |
| 2)      | An image of size 10 bits of storage space          | •   | with 256 gray le | vels need                     |      |
|         | a) 4000  | b) 500  | c) 128000        | d) 5000                       |      |
| 3)      | D <sub>4</sub> distance is alway                   | sEuclid   | dean distance.   |                               |      |
|         | a) Less than                                       | I   | o) Less than or  | equal to                      |      |
|         | c) Greater than                                    |   | d) Greater than  | or equal to                   |      |
| 4)      | For the histogram ed                               | qualization   |                  |                               |      |
|         | <ul><li>a) With increase in<br/>decrease</li></ul> | input intensity, ou   | tput intensity m | ay increase or                |      |
|         | b) With increase in                                | input intensity, ou   | tput intensity w | ill always increase           |      |
|         | c) Input and output                                | intensities are no  | t in the same ra | nge of intensities            |      |
|         | d) Input and output                                | image histograms  | are equal        |                               |      |
| 5)      | The importance of ho                               | omomorphic filterir   | ng is            |                               |      |
|         | a) Filtering on refle                              | ction component c   | nly              |                               |      |
|         | b) Suppression of il                               | •   |                  |                               |      |
|         | c) Separation of illu                              |   | -                |                               |      |
|         | d) Combined filtering                              | ng of illumination a  | nd reflectance o | component                     |      |
|         |  |   |                  |                               |      |



|    | 6)    | Better filters to reduce periodic noise   | are  | e filters.                        |   |
|----|-------|---|------|-----------------------------------|---|
|    |       | a) Mean   | b)   | Median                            |   |
|    |       | c) Special domain   | d)   | Frequency domain                  |   |
|    | 7)    | The erosion of a square with perimeter height 1 cm will result in a                     |      |                                   |   |
|    |       | a) Square of 2 cm width and height  | b)   | Square of 1 cm width and height   |   |
|    |       | c) One pixel at center of object  | d)   | Nothing remains                   |   |
|    | 8)    | In an image whose gray level profile derivative is                                      | is r | amp or slope, its second order    |   |
|    |       | a) Zero   |      |                                   |   |
|    |       | b) Constant   |      |                                   |   |
|    |       | c) Monotonically increasing   |      |                                   |   |
|    |       | d) Transition between positive and r  | ega  | ative                             |   |
|    | 9)    | The four directional chain code of an number is   | obj  | ect is 030033212211. Its shape    |   |
|    |       | a) 0330310330331  | b)   | 0330330133033                     |   |
|    |       | c) 0303310330331  | d)   | 0330301330331                     |   |
|    | 10)   | Chain code is invariant to  |      |                                   |   |
|    |       | a) Rotation   | b)   | Translation                       |   |
|    |       | c) Translation and rotation   | d)   | Translation, rotation and scaling |   |
|    | B) Fi | ll in the blanks :  |      |                                   | 4 |
|    | 1)    | Let $H$ be an operator whose input an a linear operator if, for any two image and $b$ , |      | •                                 |   |
|    | 2)    | The two dimensional Fourier transfor  | m i  | n continuous domain is given by   |   |
|    | 3)    | Ratio of major axis and minor axis of   | an   | y object is called as             |   |
|    | 4)    | A region contains 10 connected com 4 holes. The numbers of edges are                    |      |                                   |   |
| 2. | A) W  | rite short notes on the following:  |      |                                   | 8 |
|    | i)    | Simple image formation model.   |      |                                   |   |
|    | ii)   | Combining spatial enhance methods   |      |                                   |   |






B) Answer the following:

6

i) Find the shortest digital path between P and Q using *m*-adjacency.

| 1 | 0 | 0 | 1 | 1 | 0 |
|---|---|---|---|---|---|
| 1 | 1 | 0 | 0 | 1 | Q |
| 0 | 1 | 1 | 1 | 0 | 1 |
| 0 | 1 | 0 | 0 | 0 | 1 |
| 1 | 1 | 0 | 1 | 1 | 1 |
| Р | 0 | 1 | 1 | 0 | 1 |

ii) Use the specific primitives a, b, c and d given as ¬, → and ↓ respectively and build the following structure :




3. Answer the following:

14

- A) What are the different piecewise linear transformation functions? Explain them briefly.
- B) Dilate a rectangle of width 8 cm and height 6 cm using a circle of 2 cm radius and a triangle with base and height 2 cm.
- 4. Answer the following:

14

- A) Discuss smoothing frequency domain filters.
- B) Fill the following region using morphological region filling algorithms:



### 5. Answer the following:

14

- A) What are the different noise reduction probability density functions? Explain any three of them.
- B) Compute the covariance matrix for the following vectors:

$$(1, 1, 1, 0)^T$$
,  $(1, 0, 1, 1)^T$ ,  $(0, 1, 0, 1)^T$  and  $(1, 1, 0, 1)^T$ .

### 6. Answer the following:


14

- A) How to extract inner and outer boundary of an object using morphological image processing techniques? Explain with example.
- B) The three classes of objects denoted by  $\omega_1$  and  $\omega_2$  have sample mean vectors  $m_1 = (5, 4, 7)$  and  $m_2 = (9, 3, 2)$  respectively. Compute decision boundary between these two objects.

### 7. Answer the following:

14

- A) Discuss dam construction technique in watershed segmentation.
- B) Compute the distances between following objects and find out which of them are nearest.



\_\_\_\_\_

| Seat |  |
|------|--|
| No.  |  |

### M.C.A. III (Semester – V) (CGPA) Examination, 2015 COMPUTER SCIENCE Mobile Computing

| Day and Date: Saturday, 28-11-2015 | Max. Marks : 70 |
|------------------------------------|-----------------|
|------------------------------------|-----------------|

Time: 10.30 a.m. to 1.00 p.m.

Instructions: 1) Question No. 1 and 2 are compulsory.

- 2) Attempt any 3 questions from Q. No. 3 to Q. No. 7.
- 3) Figures to the **right** indicate **full** marks.
- 1. A) Choose correct alternatives.

10

- i) The core concept used in Cellular technology is
  - a) TDM

b) Frequency Reuse

c) Code reuse

- d) None of the above
- ii) The coverage and capacity of CDMA system is more than that of GSM system
  - a) True

b) False

c) Equal

- d) None of the above
- iii) The connectivity from exchange to customer premises is termed as
  - a) Data network

b) Access Network or Local Loop

c) Bridge network

- d) None of the above
- iv) Which of these is not true for TDD?
  - a) TDD uses different time slots for transmission and reception paths
  - b) Single radio frequency can be used
  - c) Duplexer is required
  - d) It increases the battery life of mobile phones
- v) Mobile phone in roaming is registered in
  - a) Visitors Location Registry of another MSC
  - b) Visitors Location Registry of same MSC
  - c) Home Location Registry of another MSC
  - d) Home Location Registry of same MSC



|  | vi) The type of access used in GSM technology is |  |                                  |  |   |  |
|--|--|--|----------------------------------|--|---|--|
|  |  | a) FDMA/TDMA   | b)                               | CDMA   |   |  |
|  |  | c) OFDMA   | d)                               | None of the above                                |   |  |
|  | vii)   | The process of channel coding, encodor Trans direction and reverse for range a) BTS b) BSC   | ece                              | •  |   |  |
|  | viii)  | He cell having the same number in t<br>set of RF channels are termed as<br>a) Adjacent cell  |                                  | adjacent cluster using the same  Co channel cell |   |  |
|  |  | c) Macro cell  | ,                                | Selective cell                                   |   |  |
|  | ix)  | The technique adopted to increase co-chl interference is  a) High power BTS b) By installing the Omnidirectional c) Sectorisation d) None of the above   |                                  |  |   |  |
|  | x)   | The uplink frequency of P-GSM system is  |                                  |  |   |  |
|  |  | a) 1850-1910 Mhz   | b)                               | 1710-1785 Mhz                                    |   |  |
|  |  | c) 890-915 Mhz   | d)                               | None of the above                                |   |  |
|  | B) Sta   | ate <b>true/false</b> .  |                                  |  | 4 |  |
|  | i)   | Flexibility and Planning are advanta   | ges                              | of wireless LAN.                                 |   |  |
|  | ii)  | SNIFF state is one of the three Low  | Pov                              | wer States provided by Bluetooth.                |   |  |
| iii) Inter BSC Intra MSC handover is not one of the four types of hand available in GSM. |  |  | ne of the four types of handover |  |   |  |
|  | iv)  | Network and Switching subsystem system.  | (NS                              | SS) is not a subsystem in GSM                    |   |  |
| 2.   | A) Wr  | ite short notes on the following.  |                                  |  | 8 |  |
|  | i)   | Multipath propagation  |                                  |  |   |  |
|  | ii)  | IP packet delivery.  |                                  |  |   |  |
|  | B) An  | swer the following :   |                                  |  | 6 |  |
|  | ,  | What are the types of spread spectr  | um                               |  |   |  |
| ii) What is frequency reuse in cellular systems? Explain.                                |  |  |                                  |  |   |  |
|  | ,  | The state of the s | - <b>, -</b> .                   |  |   |  |



| Answer the following.   | 14  |
|---|---|
| A) Explain the architecture of 802.11 WLAN.   |   |
| B) Explain in brief the architecture of Mobile IP.  |   |
| Answer the following:   | 14  |
| A) What is multiplexing? Explain different multiplexing techniques.                                 |   |
| B) Explain in brief the components of Cellular System.  |   |
| Answer the following.   | 14  |
| A) Explain the various numbers required to locate an MS and to address MS.                          |   |
| B) What is Handovering? Explain all possible handover scenarios in GSM.                             |   |
| Answer the following.   | 14  |
| A) What are the security services offered by GSM ? Explain.   |   |
| B) Explain in brief the DHCP.   |   |
| Answer the following.   | 14  |
| A) What are the advantages and disadvantages of cellular system?                                    |   |
| B) What is the motivation behind to have specialized MAC techniques for Wireless networks? Explain. |   |
|   | A) Explain the architecture of 802.11 WLAN. B) Explain in brief the architecture of Mobile IP. Answer the following: A) What is multiplexing? Explain different multiplexing techniques. B) Explain in brief the components of Cellular System. Answer the following. A) Explain the various numbers required to locate an MS and to address MS. B) What is Handovering? Explain all possible handover scenarios in GSM. Answer the following. A) What are the security services offered by GSM? Explain. B) Explain in brief the DHCP. Answer the following. A) What are the advantages and disadvantages of cellular system? B) What is the motivation behind to have specialized MAC techniques for Wireless |

\_\_\_\_\_